



MNRS Maternal/Neonatal Record System™

Labor and Delivery Summary

To order call: 1.800.245.4080

Re-order No. 5876N

[REDACTED]

Labor Summary

Proposition
 Vertex
 Face on brow
 Breech
 Transverse lie
 Compound
 Unknown

Position
 L.O.A.

Intrapartum Events
 None
 No prenatal care
 Prolonged labor (greater than or equal to 57 hrs.)
 Prolonged labor (greater than or equal to 42 hrs.)
 Prolonged labor (greater than or equal to 100 hrs.)
 PROM (greater than or equal to 1 hr. before onset of labor)
 Meconium
 Fetal smelling fluid
 Hydranionios
 Abrasion
 Placenta previa
 Bleeding site undetermined
 Toxemia (mild) (severe)
 Baseline activity
 Prolonged labor (greater than or equal to 50 hrs.)
 Prolonged latent phase
 Prolonged active phase
 Prolonged 2nd stage (greater than 2 1/2 hrs.)
 Secondary arrest of dilatation
 Cephalopelvic disproportion
 Cord prolapse
 Decreased FHT variability
 Extended fetal bradycardia
 Extended fetal tachycardia
 Multiple late decelerations
 Multiple variable decelerations
 Acidosis (1-4 mmol/L)
 Anesthetic complications

Delivery Data

Method of Delivery
 Cephalic
 Spontaneous
 Low forceps
 Mid forceps
 Rotation _____ to _____
 Vacuum extraction

Breech
 Spontaneous
 Partial extraction (perineal)
 Total extraction
 Forceps to A.C. head

Cesarean (placenta or operating room)
 Low cervical: transverse
 Low cervical: vertical
 Classical
 Cesarean hysterectomy

Placenta
 Spontaneous
 Expressor
 Manual
 Adherent
 Ut exploration

Configuration
 Normal
 Abn.

If weighed: 564 gms.

Cord
 Nuchal cord x 1 loose
 True knot
 Umbilical vessels
 Cord blood: to lab (ml); discard

For: Type Conombs VDRL & Rh

Episiotomy None
 Median
 Mediolateral
 Other

Laceration None
 1st Degree perineal
 Vaginal
 Cervical
 Uterine rupture
 Other

Surgical Procedures None
 Tubal ligation Curettage
 Other

Delivery Data (cont.)

Delivery Anesthesia None
 1 - Local 2 - Pudendal 3 - Paracervical
 4 - Epidural 5 - Spinal 6 - General

No. 1 Agent/Drug Epidural Dose _____
 No. _____ Agent/Drug _____ Dose _____

Administered by: _____
Delivery Room Meds. None

Agent/Drug Viscous Lidocaine top. Route _____
 Time 9:23 _____
 Agent/Drug Pain 2 Percutaneous IV Route _____
 Time 9:37 _____

Chronology Date _____ Time _____
 EDC 7/27/09 Time 8:00
 ADMIT TO HOSPITAL 7/27/09 8:00
 MEMBRANES RUPTURED 1:40
 ONSET OF LABOR 12:40
 COMPLETE CERVICAL D 9:00
 DELIVERY OF INFANT 9:25
 DELIVERY OF PLACENTA 9:30

Infant Data
 Apgar Scores
 1 min 1 1 0 0 1 3
 5 min 2 2 1 0 1 6

Resuscitation: None
 Oxygen Bag and mask Inflation
 Ext. cardiac massage
 Other _____

_____ mins. to sustained respiration

Infant Data (cont.)

Medications None
 Volume expander
 Sodium bicarbonate
 Drug antagonists
 Umbilical catheter
 Other _____

Medications checked below were administered in the delivery room. Otherwise reference the Newborn Flow Record.
 Erythromycin 1%
 Aquasol Vitamin K IM

Initial Newborn Exam
 No observed abnormalities
 Gross congenital anomalies
 Med. trauma
 Physical trauma
 Other _____

Describe _____

Basic Data 498360 BNC
 ID bracelet no. _____
 Hospital record no. _____
 Birth order 1 of 1

Male Female
 Birth order 1 of 1
 Weight 6-13.3 309g
 Length 20
 Output
 Urine
 Meconium
 Gastric 107 ml (ml.)

Transferred To newborn nursery
 To mother
 To NICU
 Deceased:
 Antepartum
 Intrapartum
 Neonatal (in delivery room)

Date 7/28/09 Time 10:00

Remarks: Crib mother present.
Rm# but they room delivery

Medications
Cytotec x1
Pethidine 5 millim
Penicillin 0.5 millim

External FHT CBC
 Internal
 Time of last narcotic: N/A

PROGRESS NOTES

DATE	TIME	PROGRESS NOTES
[REDACTED]	7:45 p	<p>ctg 9.2 min FHR Good variability / No Tach Cervix 2cm / 90° / -5 VTK PROM w/ clear fluid Start PCW prophylaxis 13 later</p>
[REDACTED]	7:50 p	<p>Recurrent prolonged fetal decel + bloody show Cervix 8cm / 100° / IVFC placed + Amnioinfusion started 500ml bolus + then run @ 125ml/hr FSE placed Mom already receiving IVFs + O₂ Recurrent variable changes OP presentation</p>
[REDACTED]	10p	<p><u>Delivery Note</u> 2 days G1 P0 M31 00 induced w/ cytotec 2mg q 4h x 1 w/ onset ctg @ 11p + ctg 9 1/2 - 2 min @ 1:45pm PROM w/ clear fluid @ 1:40p Epidural anesthesia started @ 4:20p Recurrent variable prolonged decel IVFC + Amnioinfusion started w/ FSE placed. Persistent OP presentation w/ persistent rim. Started pushing @ 8:35p Dr [REDACTED] + OA called 8:50p for persistent variable decel w/ good knob fully dilated @ 9pm Eventual NSTD over intact primium in ROA position w/ Nuchal cord x 1 - loose w/ infant @ 9:20pm 3' 45" 8" 10 APGAR w/ 6 130T (3098gm) @ 9:40pm Baby Requiring Post + Med + Stimul</p>

PROGRESS NOTES



DATE	TIME	PROGRESS NOTES
[REDACTED]	[REDACTED]	<p>No compressions, initially Brachycaudic but responded to stimulation & Placenta expressed intact @ 9:30 pm FSE 500ml. Fetal membranes Foley had been placed @ same time as IUPC & was removed just prior to delivery as was IUPC & FSE. Mom received 2 doses RN. Epidural catheter removed w/ tip intact. Mom stable. Baby brought to nursery for further evaluation.</p>
7:21 AM	[REDACTED]	<p>(3) During well. Flow moderate. Membranes orange. (E) legs still numb.</p> <p>(4) IBS AF Furrows Furrow @ V lochia moderate (6) leg strength OK Perineum intact</p> <p>(AV) PPD #1 During well Cont. Buttermilk case</p>