


Monroe County COVID-19 Surveillance – Preliminary data as of June 24, 2020
Rochester Emerging Infections Program
Center for Community Health & Prevention, University of Rochester Medical Center

This is a preliminary report of COVID-19 cases, hospitalizations and deaths.
 Cumulatively, there were 3,689 laboratory confirmed cases, 745 hospitalizations, and 229 ICU admissions.
 260 deaths have been confirmed to date.

Preliminary daily count of new COVID-19 cases, (N = 3,689) - Monroe County, March 7 - June 24, 2020




Data Source: Electronic Clinical Laboratory Reporting System, New York State. Bars represent the daily tests based on day of collection of the test and the black line indicates the percentage of all tests that were positive.

**Cumulative Data of Laboratory Confirmed COVID-19 Cases, Hospitalizations,
 ICU Admissions and Deaths in Monroe County**
Data as of June 24, 2020

Age Group	Cases (N)	Case Rates (per 100,000 persons)	Hospitalized (N)	Hospitalized (% of Total Cases)	ICU Admissions (N)	ICU Admissions (% of Hospitalized Cases)	Deaths (N)	Case Fatality Rate (%)
0 to 17 y	122	79.1	6	4.9	0	0.0	0	0.0
18 to 49 y	1602	519.8	121	7.6	29	24.0	2	0.1
50 to 64 y	749	492.6	186	24.8	62	33.3	13	1.7
65 to 74 y	428	588.2	165	38.6	66	40.0	40	9.3
75 to 84 y	365	987.3	150	41.1	55	36.7	78	21.4
≥ 85 y	423	2309.0	117	27.7	17	14.5	127	30.0
Total	3689	496.9	745	20.2	229	30.7	260	7.0


Monroe County COVID-19 Surveillance – Preliminary data as of June 24, 2020
Rochester Emerging Infections Program
Center for Community Health & Prevention, University of Rochester Medical Center

Preliminary Weekly Reporting of COVID-19 Cases by MMWR Week



Data Source: Electronic Clinical Laboratory Reporting System, New York State. Bars represent the weekly positive tests based on day of collection and the black line indicates the percentage of all tests that were positive.

COVID-19 Preliminary Hospitalization Rates by MMWR Week




Monroe County COVID-19 Surveillance – Preliminary data as of June 24, 2020
Rochester Emerging Infections Program
Center for Community Health & Prevention, University of Rochester Medical Center

Monroe County Data as of June 24th, 2020 Age-Adjusted Rates by Race, Ethnicity, and Sex

Race / Ethnicity	Cases		Hospitalizations			ICU		Deaths			In-Hospital Deaths	
	Total to Date	Age-Adjusted Rate per 100,000 Population	Total to Date	Percent of Total Cases	Age-Adjusted Rate per 100,000 Population	Total to Date	Percent of Hospitalized Cases	Total to Date	Percent of Total Cases	Age-Adjusted Rate per 100,000 Population	Total to Date	Percent of Hospitalized Cases
White	1721	282.6	385	22.4%	57.9	108	28.1%	191	11.1%	25.8	78	20.3%
African American	1253	1223.1	248	19.8%	287.0	92	37.1%	42	3.4%	63.4	26	10.5%
Latinx	363	723.4	73	20.1%	183.4	20	27.4%	15	4.1%	57.5	9	12.3%
Asian	96	386.3	11	11.5%	54.0	4	36.4%	4	4.2%	28.9	1	9.1%
Other	108	*	23	21.3%	*	4	17.4%	3	2.8%	*	2	8.7%
Unknown	148	*	5	3.4%	*	1	20.0%	5	3.4%	*	2	40.0%
Total	3689	485.1	745	20.2%	107.5	229	30.7%	260	7.0%	35.0	118	15.8%

Sex	Cases		Hospitalizations			ICU		Deaths			In-Hospital Deaths	
	Total to Date	Age-Adjusted Rate per 100,000 Population	Total to Date	Percent of Total Cases	Age-Adjusted Rate per 100,000 Population	Total to Date	Percent of Hospitalized Cases	Total to Date	Percent of Total Cases	Age-Adjusted Rate per 100,000 Population	Total to Date	Percent of Hospitalized Cases
Men	1405	396.1	358	25.5%	101.5	133	37.2%	117	8.3%	35.3	64	17.9%
Women	2283	557.2	387	17.0%	88.1	96	24.8%	143	6.3%	27.6	54	14.0%
Total	3688	479.4	745	20.2%	94.6	229	30.7%	260	7.0%	31.3	118	15.8%

These data include age-adjusted rates, which allow us to make fairer comparisons among groups with different age distributions. For example, a group having a higher percentage of older adults may have higher death or hospitalization rates because older adults are more likely to die or to be hospitalized. **Rate estimates for small groups (those having fewer than 20 people) may be unstable and should be interpreted with caution.**



*Rate estimates for groups having fewer than 20 people may be unstable; values for those groups are not shown in the chart above.