GUIDELINES

THE NEW YORK STATE CERTIFICATE OF LIVE BIRTH & QUALITY IMPROVEMENT 2011

Bureau of Productions Systems Management (Vital Records)

New York State Department of Health

June 2011

Table of Contents

INTRODUCTION AND EXPLANATORY INFORMATION1	
NEW YORK STATE PUBLIC HEALTH LAW PERTAINING TO LIVE BIRTHS2	
NEW BIRTH REGISTRATION SCREEN4	
Mother's Name4	
Mother's Social Security Number4	
Mother's Date of Birth4	
Infant's Name4	
First Name4	
Middle Name4	
Last Name4	
Infant's Sex5	
Plurality5	
Birth Order	
Infant's Medical Record Number	
Infant's Date of Birth	
Infant's Time of Birth	
Was Child Born in This Facility?	
Type of Place of Birth	
In Which County Was the Child Born?5	
·	
INSTITUTION SCREEN6	j
Birthplace6	j
Facility of Birth6	
Type of Place of Birth6	
Site of Birth If Other Type of Place6	
Street Address, If Place Other Than Hospital, Birthing Center, Enroute	
Other Than Hospital/Birth Center, Locality6	
If Other Than Hospital/Birth Center, ZIP Code	
Infant's Pediatrician/Family Practitioner	
Attendant at Birth - License	
Attendant at Birth - Name	
Attendant at Birth - Title	
Certifier of Birth	
Birthing Hospital Births	,
Clinics and Non-Birthing Hospital Births	
Primary Payor for This Delivery	
Medicaid	
Private Insurance	
Self-pay	
Indian Health Service	
CHAMPUS/TRICARE	
Other government (e.g. Child Health Plus B, Veteran's Administration)	

Other, Unknown	/
Medicaid Client Identification Number (CIN)	7
Secondary Medicaid Payor?	8
HMO Enrollment?	8
Release of Information Attestation	8
Social Security	8
NFANT SCREEN	۶
Infant's Name	
First Name	
Middle NameLast Name	
Married Couple	_
Unmarried Mother	
Widowed or Divorced	
Infant's SexPlurality	
,	
Birth OrderInfant's Medical Record Number	
Number of Live Births (If Multiple Births)	
Number of Catal Deaths (If Multiple Dirths)	8
Number of Fetal Deaths (If Multiple Births)	
Infant's Date of BirthInfant's Time of Birth	
Birthweight	
If Birthweight < 1250 grams (or 2 lbs 12 oz.), Reason for Delivery at a Less Than Level I	
Hospital	
Infant Transferred	10
Infant TransferredHospital Infant Transferred To	10 10
Infant TransferredHospital Infant Transferred To	10 10 10
Infant Transferred	10 10 10
Infant Transferred Hospital Infant Transferred To	10 10 10 11
Infant Transferred	10 10 10 11 11
Infant Transferred. Hospital Infant Transferred To	10 10 10 11 11
Infant Transferred	10 10 11 11 11
Infant Transferred Hospital Infant Transferred To Apgar Score at 1, 5, and 10 Minutes. Is the Infant Alive? Clinical Estimate of Gestation Newborn Treatment Given? Infant Feeding Breast Milk Only. Formula Only	10 10 11 11 11 11
Infant Transferred. Hospital Infant Transferred To. Apgar Score at 1, 5, and 10 Minutes. Is the Infant Alive?. Clinical Estimate of Gestation. Newborn Treatment Given? Infant Feeding. Breast Milk Only. Formula Only. Both Breast Milk and Formula.	10 10 11 11 11 11
Infant Transferred. Hospital Infant Transferred To. Apgar Score at 1, 5, and 10 Minutes. Is the Infant Alive? Clinical Estimate of Gestation. Newborn Treatment Given? Infant Feeding Breast Milk Only Formula Only Both Breast Milk and Formula. New Born Screening	10 10 11 11 11 11 11
Infant Transferred. Hospital Infant Transferred To. Apgar Score at 1, 5, and 10 Minutes. Is the Infant Alive?. Clinical Estimate of Gestation. Newborn Treatment Given? Infant Feeding. Breast Milk Only. Formula Only. Both Breast Milk and Formula. New Born Screening. Screen Lab ID Number.	10 10 11 11 11 11 11
Infant Transferred. Hospital Infant Transferred To. Apgar Score at 1, 5, and 10 Minutes. Is the Infant Alive? Clinical Estimate of Gestation. Newborn Treatment Given? Infant Feeding Breast Milk Only Formula Only Both Breast Milk and Formula. New Born Screening Screen Lab ID Number Reason if Lab ID not submitted.	10 10 11 11 11 11 11 11
Infant Transferred	10 10 11 11 11 11 11 11
Infant Transferred	10 10 11 11 11 11 11 11 11
Infant Transferred. Hospital Infant Transferred To Apgar Score at 1, 5, and 10 Minutes. Is the Infant Alive? Clinical Estimate of Gestation Newborn Treatment Given? Infant Feeding. Breast Milk Only. Formula Only. Both Breast Milk and Formula. New Born Screening. Screen Lab ID Number. Reason if Lab ID not submitted. Hepatitis B Inoculation Hearing Screening Screening performed/not performed	10 10 11 11 11 11 11 11 12 12
Infant Transferred Hospital Infant Transferred To Apgar Score at 1, 5, and 10 Minutes Is the Infant Alive? Clinical Estimate of Gestation Newborn Treatment Given? Infant Feeding Breast Milk Only Formula Only Both Breast Milk and Formula. New Born Screening Screen Lab ID Number Reason if Lab ID not submitted. Hepatitis B Inoculation Hearing Screening Screening performed/not performed Equipment Type	10 10 11 11 11 11 11 11 12 12
Infant Transferred	10 10 11 11 11 11 11 12 12 12 12
Infant Transferred	10 10 11 11 11 11 11 11 12 12 12
Infant Transferred	10 10 11 11 11 11 11 12 12 12 13 13
Infant Transferred	10 10 10 11 11 11 11 11 11 12 12 13 13 13
Infant Transferred	10 10 11 11 11 11 11 12 12 12 13 13 13

Seizure or serious neurologic dysfunction	
CONGENITAL ANOMALIES SCREEN	
Congenital Anomalies of the Child	14
Anencephaly	
Meningomyelocele / Spina Bifida	
Cyanotic Congenital Heart DiseaseCongenital Diaphragmatic Hernia	
Omphalocele	
Gastroschisis	
Limb Reduction Defect	
Cleft Lip With or Without Cleft Palate	
Cleft Palate Alone	
Down Syndrome	15
Other Chromosomal Disorder	15
Hypospadias	
None, Unknown at This Time	15
LABOR AND DELIVERY SCREEN	15
Mother Transferred From Another Facility in Antepartum?	15
NYS Facility Mother Was Transferred From	15
Mother's Weight at Delivery	
Method of Delivery	
Fetal Presentation	
Route & Method	15
Cesarean Section History	15
Attempted Procedures	16
Trial of Labor	
Indications for C-Section	
Failure to progress	
Fetus at Risk/NFS	
Malpresentation	
Maternal Condition – Pregnancy Related	
Maternal Condition – Not Pregnancy Related Elective	
Other	
Refused VBAC	
Previous C-Section	
Unknown	
Indications for Vacuum	
Failure to progress	
Fetus at Risk	
Other, Unknown	17
Indications for Forceps	17
Failure to progress	
Fetus at Risk	
Other, Unknown	
Onset of Labor	
Precipitous Labor	17

Premature Rupture of Membranes	
Prolonged Labor	
Prolonged Rupture of Membranes	17
None, Unknown	17
Characteristics of Labor and Delivery	18
Induction of Labor	
Induction of Labor – Medical	18
Augmentation of Labor	
Steroids	
Antibiotics	
Chorioamnionitis	
Meconium staining	
Fetal intolerance	
External Electronic Fetal Monitoring	
Internal Electronic Fetal Monitoring	
None, Unknown at this time	
Maternal Morbidity	
Maternal transfusion	19
Perineal laceration (3rd or 4th degree)	19
Ruptured uterus	
Unplanned Hysterectomy	
Admit to ICU	
Unplanned operating room procedure following delivery	
Postpartum transfer to a higher level of care	
None, Unknown	
Analgesia	
Anesthesia Used for Delivery	
Epidural	
Local	
Spinal	19
General Inhalation	20
Paracervical	20
General Intravenous	20
Pudendal	20
None, Unknown at this time	20
Other Procedures Performed at Delivery	
Episiotomy & Repair	
Sterilization	
None, Unknown at this time	
MOTHER'S SCREEN	20
Mother's Name	20
Mother's Social Security Number	
Mother's Medical Record Number	
Mother's Date of Birth	
Mother's Educational Level	
Mother's Birthplace	
Mother's Hispanic Origin	
Mother's Race	
Mother's Residence Address	
MODIE 9 DESIDENCE AUDIESS	

Mother's State of Residence	
Mother's Phone Number	
Mother's Mailing Address	
Employed While Pregnant?	
Mother's Current or Most Recent Occupation	
Mother's Kind of Business or Industry	
Mother's Industry Name/Address	22
SECOND PARENT SCREEN (formerly FATHER'S SCREEN)	22
What Type of Certificate Is Required?	22
MOTHER/FATHER	
MOTHER/MOTHER	22
Will the Mother and Father Be Executing an Acknowledgmen	t of Paternity22
Second Parent Current Last Name - Father	23
Second Parent Current Last Name - Mother	23
Second Parent / Father's Last Name on Birth Certificate	
Second Parent / Father's Social Security Number	
Second Parent / Father's Date of Birth	24
Second Parent / Father's Educational Level	24
Second Parent / Father's Birthplace	
Second Parent / Father's Hispanic Origin	
Second Parent / Father's Race	
Second Parent / Father's Residence Address	
Second Parent / Father's State of Residence	
Second Parent / Father's Current or Most Recent Occupation	
Second Parent / Father's Kind of Business or Industry	
Second Parent / Father's Industry Name/Address	25
PRENATAL HISTORY SCREEN	25
Did Mother Receive Prenatal Care?	25
Primary Prenatal Care Provider	
Participation in WIC During Pregnancy	
Date Last Normal Menses Began	
Estimated Due Date	
Date of First Prenatal Care Visit	
Date of Last Prenatal Care Visit	
Number of Prenatal Visits	
Previous Live Births, Now Living	
Previous Live Births, Now Dead	
Previous Spontaneous Terminations	
Previous Induced Terminations of Pregnancy	
Total Prior Pregnancies	
Date of First Live Birth	
Date of Last Live Birth	27
Date of Last Other Pregnancy Outcome	
Prepregnancy Weight	
Maternal Height	
PRENATAL CARE SCREEN	27
Risk Factors in This Pregnancy	27
Prepregnancy Diabetes	
1 0 7	

Gestational Diabetes	27
Prepregnancy Hypertension	27
Gestational Hypertension	27
Other Serious Chronic Illnesses	28
Previous Preterm Births	28
Abruptio Placenta	28
Eclampsia	
Other Poor Pregnancy Outcomes	
Prelabor Referral For High Risk	
Other Vaginal Bleeding	
Previous Low Birthweight Infant	28
Pregnancy Resulted from Infertility Treatment	28
None, Unknown	
Infections	
Gonorrhea	
Syphilis	
Herpes simplex virus (HSV)	
Chlamydia	
Hepatitis B	
Hepatitis C	
Tuberculosis	
Rubella	
Bacterial vaginosis	
None, Unknown	
Other Risk Factors	
Daily tobacco use	
Alcohol use	
Used illegal drugs	
Obstetric Procedures	
Cervical cerclage	
Tocolysis	
External cephalic version	
Fetal genetic testing	
None, Unknown at this time	
If Woman Was 35 or Older, Was Fetal Genetic Testing Offered?	
Serological Testing	
Serological test for Syphilis	29
Date of Test	
Reason if No Test	
INTERVIEW/RECORDS SCREEN	30
Did You Receive Prenatal Care?	30
During Any of Your Prenatal Care Visits, Did a Doctor, Nurse or Other Health Care Wor	ker
Talk With You About Any of the Things Listed Below?	
How Many Times Per Week During Your Current Pregnancy Did You Exercise for 30	
Minutes or More, Above Your Usual Activities?	30
Did You Have Any Problems With Your Gums at Any Time During Pregnancy, for Exam	
Swollen or Bleeding Gums?	
During Your Pregnancy, Would You Say You Were Depressed	
Thinking Back to Just Before You Were Pregnant, How Did You Feel About Becoming	

Pregnant?	30
Chart Review	30
Copy of prenatal record in chart?	30
Was formal risk assessment in prenatal chart?	
Was MSAFP / triple screen test offered?	
Was MSAFP / triple screen test done?	
How many times was the mother hospitalized during this pregnancy, NOT including	
hospitalization for this delivery?	30
Admission and Discharge Information	30
Mother	
Infant	31
Discharged Home	31
Infant Died at Birth Hospital	
Infant Still in Hospital	
Infant Discharged to Foster Care/Adoption	
Infant Transferred Out	31
Unknown	31
INDEX	32

INTRODUCTION AND EXPLANATORY INFORMATION

The birth certificate is the official record of an infant's full name, date of birth and place of birth. The birth registration process has been incorporated into the context of the Statewide Perinatal Data System (SPDS).

The following instructions are given to guide the entry of the information from hospital and physician records and notes into the New York State Certificate of Live Birth. The instructions refer to the web based Birth Certificate. The guidelines follow the order of the SPDS screens and work booklet.

The data will be entered into the SPDS application and ONLY the legal portion of the record will be printed. The legal and medical/confidential information will be electronically transported to the New York State Department of Health over the Health Provider Network (HPN). If a hospital wishes to retain a copy of the information from the SPDS, a facsimile record can be printed from the application, which contains most of the legal and Medical/Confidential information.

A work booklet is available in English and Spanish to assist hospital staff in gathering the information to prepare for entry into the SPDS. It is highly recommended that this be used.

An index at the end identifies the pages on which specific guidelines occur. The information contained herein will help to ensure that data gathered from different hospitals throughout the state will be consistent and will provide comparable statistics among various hospital settings.

The next 2 pages contain sections of the New York State Public Health Law that governs the collection and distribution of birth certificate information.

NEW YORK STATE PUBLIC HEALTH LAW PERTAINING TO LIVE BIRTHS

New York State Public Health Law, Section 206(1)(e), states the Commissioner of Health shall obtain, collect and preserve such information relating to marriage, birth, mortality, disease and health as may be useful in the discharge of his/her duties or may contribute to the promotion of health or the security of life in the state; establish rules and regulations for the determination of asymptomatic conditions including, but not limited to Rh sensitivity, anemia, sickle cell anemia, Cooley's anemia and venereal disease.

New York State Public Health Law, Section 4102, states any person shall be deemed guilty of a misdemeanor, and upon conviction shall be fined or be imprisoned or be both fined and imprisoned in the discretion of the court, who for himself or as an officer, agent, or employee of any other person, or of any corporation or partnership, shall:

- refuse or fail to furnish correctly any information in his possession, or shall furnish false information affecting any certificate or record, required by this article; or
- willfully alter, otherwise than is provided by this article, or shall falsify any certificate of birth or death, or any record established by this article; or
- being a registrar, deputy registrar or subregistrar, shall fail, neglect or refuse to perform his duty as required by this article and by the instructions and directions of the commissioner thereunder.

It further states whenever any physician, licensed midwife, or other person shall fail or neglect properly to record and file a certificate of birth as required by this article such person shall be liable to a fine, such person shall be guilty of a misdemeanor, punishable by a fine, or by imprisonment, or both.

New York State Public Health Law, Section 4130.5, states when a birth occurs in a hospital, the person in charge of such hospital or his designated representative shall obtain the personal data, prepare the certificate, secure the signatures required by the certificate and file it with the registrar. The physician in attendance or a physician acting in his behalf shall certify to the facts of birth and provide the medical information required by the certificate within five days after birth.

New York State Public Health Law, Section 4131.1, states that the report of the finding of a child whose parents are unknown, filed by the commissioner of social services or by the city social services officer in accordance with the provisions of subdivision two of section three hundred ninety-eight of the social services law, shall constitute the birth record of such child.

New York State Public Health Law, Section 4131.2, states the district wherein such child was found shall be considered as the place of birth, and the date of birth shall be that determined by the commissioner of social services or by the city social services officer as the approximate date of birth.

New York State Public Health Law, Section 4131.3, states if, however, such child be subsequently identified, and it should appear that a certificate of birth for this child has either before or following identification been filed, as otherwise provided in this article, the report of the commissioner of social services or of the city social services officer shall be placed under seal by the state commissioner of health, such seal not to be broken except upon order of a court of competent jurisdiction.

New York State Public Health Law, Section 4132, states the certificate of birth shall contain such information, including the social security numbers of the parents, and be in such form as the commissioner may prescribe. The personal particulars called for shall be obtained from a competent person acquainted with the facts. The certificate shall be signed by the attending physician or licensed midwife, with date of signature and his or her address.

It further states if there was no physician or licensed midwife, in attendance then the certificate of birth shall be signed by the father or mother of the child, householder, owner of the premises, director or other person in charge of the public or private institution where the birth occurred, or by any other competent person whose duty it is to notify the local registrar of such birth. The registrar shall enter the exact date of filing of the certificate of birth in his office attested by his official signature and registered number of birth.

New York State Public Health Law, Section 4135, states there shall be no specific statement on the birth certificate as to whether the child is born in wedlock or out of wedlock or as to the marital name or status of the mother. The phrase "child born out of wedlock" when used in this article, refers to a child whose father is not its mother's husband.

The name of the putative father of a child born out of wedlock shall not be entered on the certificate of birth prior to filing without the consent in writing of both the mother and putative father, witnessed by two persons not related to either of them and filed with the record of birth, except that with respect to a child born out of wedlock to a married woman, a determination of parentage made by a court of competent jurisdiction shall be required before the putative father's name may be entered on the birth certificate.

Orders relating to parentage shall be held confidential by the commissioner and shall not be released or otherwise divulged except by order of a court of competent jurisdiction.

New York State Public Health Law, Section 4172, states when the commissioner shall have so ordered, each registrar shall transmit, at such times as the commissioner shall direct, to the county health commissioner, public health director, director of patient services of a county, or to the state district health officer of the respective county or state health district in which such registrar's primary district is included, copies of original birth, fetal death and death certificates which have been registered in such primary registration district.

Each county health commissioner, public health director or director of patient services of a county and each state district health officer receiving copies of original certificates shall retain such copies thereof pursuant to subdivision one of this section as confidential records subject to such further regulation to assure such confidentiality as may be prescribed by the commissioner.

NEW BIRTH REGISTRATION SCREEN

MOTHER'S NAME

Enter the mother's first, middle and maiden names and her current last name. Maiden name is her last name at her birth, not a last name acquired by marriage.

MOTHER'S SOCIAL SECURITY NUMBER

Enter the parent's Social Security number. If the parent does not have a Social Security number, enter all zeros. If the Social Security number is unknown, enter all nines.

MOTHER'S DATE OF BIRTH

Enter the exact month, day and year (including the century) the parent was born. Use numbers for months and days such as 06 04 1977 for June 4, 1977.

INFANT'S NAME

If the parents have not selected given names for the child, enter the last name only. Do not enter Baby girl, Child, Infant boy, Newborn, Female, Male, etc. The child must have a first and last name in order to receive a social security card and number through the Enumeration at Birth program.

- FIRST Capitalize the first letter of the entire name.
- MIDDLE Capitalize the first letter of the entire name.
- LAST Enter the last name of the child according to the following instructions:

Married Couple: A married couple may select any surname for their child. They may choose the traditional paternal surname, the maternal surname, the maternal maiden name, a combination of paternal and maternal surnames (hyphenated or otherwise), a name derived from ethnic custom, a name unrelated to the parents, etc

If there is a disagreement between the parents that cannot be resolved within the 5-day filing requirement, we recommend that you enter the husband's surname as the surname of the child. Advise the parents that they may change the child's name by court order.

If non-marital birth is alleged, the mother may select the child's surname unless the husband objects. If the husband objects, enter his surname. The final choice of surname will be determined after the court rules on the child's paternity.

Unmarried Mother: The mother may select any surname that she wants for the child.

She may even choose the name of the putative father regardless of whether or not he has signed an Acknowledgment of Paternity.

Without an Acknowledgment of Paternity, surname, in and of itself, does not prove parentage.

Widowed or Divorced: Selection of surname will depend on when the child was conceived. If conception occurred before the husband's death or the divorce was finalized, handle in the same manner as for a married couple. If conception occurred after the husband's death or the divorce was finalized, handle in the same manner as for an unmarried mother.

• SUFFIX Select an acceptable entry from the list provided in SPDS (Jr., 1^{st} – 10^{th} , or Roman numerals I – X).

INFANT'S SEX

Record the child's sex by selecting male, female or undetermined.

PLURALITY

The number of fetuses delivered live or dead at any time in the pregnancy regardless of gestational age or if the fetusues were delivered at different dates in the pregnancy. If not a single birth, specify the type of delivery as single, twin, triplet, etc by using 1, 2, 3 etc.

BIRTH ORDER

If the birth results in one child, this field will be automatically filled with a '0'. If the birth results in more than 1 child, specify the order in which this child was born, i.e., first, second, etc. Be sure to count each member of this delivery, even if born dead. A separate birth certificate or fetal death certificate, as the case may be, is required for each member of a multiple birth.

INFANT'S MEDICAL RECORD NUMBER

Enter the medical record number from the infant's chart.

INFANT'S DATE OF BIRTH

Enter the exact month, day and year (including the century) the child was born. When entering the date enter the numbered abbreviation for the date in the correct fields (e.g., 06 04 2001). Midnight or 2400 hours in military time belongs to the day that is ending. A new day begins at 12:01 a.m. or 0001 in military time.

INFANT'S TIME OF BIRTH

Enter the correct local time. Use standard or military time. Valid entries for military time are 0001-2400. Midnight or 2400 hours in military time belongs to the day that is ending. A new day begins at 12:01 a.m. or 0001 in military time.

WAS CHILD BORN IN THIS FACILITY?

IF OTHER NYS FACILITY, SELECT ITS NAME

TYPE OF PLACE OF BIRTH

Select the place of birth where the child was born:

- Hospital
- Home (intended)
- Home (unintended)
- Home (unknown intent)
- Clinic/Doctor's Office (not regulated by DOH)
- Freestanding birthing center (regulated by DOH)
- Out of state hospital (DOH users only)
- Other
- Unknown

IN WHICH COUNTY WAS THE CHILD BORN?

INSTITUTION SCREEN

BIRTHPLACE

FACILITY OF BIRTH

The hospital of birth should be displayed.

TYPE OF PLACE OF BIRTH

SITE OF BIRTH IF OTHER TYPE OF PLACE

If the infant was not born at the hospital but arrived at the hospital from a conveyance (e.g. ambulance, private car, taxi, bus public vehicle), indicate the name of hospital and the word 'enroute'. For the above conveyances, include the word "enroute" in parentheses.

STREET ADDRESS, IF PLACE OTHER THAN HOSPITAL, BIRTHING CENTER, ENROUTE

OTHER THAN HOSPITAL/BIRTH CENTER, LOCALITY

Enter the City, Town or Village by choosing from the list in the SPDS.

IF OTHER THAN HOSPITAL/BIRTH CENTER, ZIP CODE

NBS

INFANT'S PEDIATRICIAN/FAMILY PRACTITIONER

NBS

Enter the name (and location, if known) of the doctor or other health care professional who will care for the infant after he/she is released from the hospital. This may or may not be the same as the doctor who cared for the infant while in the hospital.

ATTENDANT AT BIRTH - LICENSE

Enter the attendant's license number. If the attendant is a physician or a doctor of osteopathy, they should have a six-digit license number. If you do not have a six-digit number for them call them (or the State Education Department) and ask for it. Call the Board of Medicine at 518-474-3841 for MD's and DO's license numbers. Call the Midwifery Board at 518-474-3848 for midwife's six digit state number. This is not the ACNM number that had been previously used. License numbers for physicians and midwives may be obtained from the New York State Education Department web site at www.nysed.gov. If the attendant is an intern or other person without a license number, the license number of the supervising doctor should be used. There will be some births where the attendant may not have a license number (e.g. mom, dad, taxi driver).

ATTENDANT AT BIRTH - NAME

The attendant is the person who delivered the infant. If nobody was present for the birth the mom would be the attendant. Enter the name of the attendant.

The name, title, mailing address and license number of each person eligible to attend births in this institution may be stored in the SPDS. Enter the license number of the attendant. If the attendant's information is stored in the SPDS it will populate the remaining attendant fields. If the attendant's data is not stored in the SPDS, key in the attendant information.

ATTENDANT AT BIRTH - TITLE

Enter the title of the attendant. If the attendant is not one of the ones listed choose 'other'. The 'other' category would be used when the mother, father, taxi driver etc. was the attendant.

CERTIFIER OF BIRTH

- BIRTHING HOSPITAL BIRTHS When a birth occurs in a birthing hospital, the physician, licensed midwife or other person in attendance is required to certify to the facts of birth by signing and dating the birth certificate. In the absence of the person who attended the birth, the hospital administrator is required to designate a physician to certify the facts of birth. The paper portion of the birth certificate will not be accepted without the signature of the certifier and the date. This means a licensed midwife may only sign for themselves and not for a physician or another licensed midwife. If you know who the certifier will be as you are filling in the birth certificate enter his/her license number, name and title.
- CLINICS AND NON-BIRTHING HOSPITAL BIRTHS These births must be filed on long forms.
- EXTRAMURAL BIRTHS If you are preparing a certificate as a courtesy for a birth that occurred outside of a hospital or clinical setting the mother or other person (EMT, ambulance attendant, etc.) who delivered the baby should be listed as attendant. The attendant must certify the birth certificate and you should make a reasonable attempt (telephone call, letter) to obtain the certifier's signature on the birth certificate. If the attendant is not available to certify the birth certificate, the birth certificate should be sent without the certifier's signature to the local registrar of the municipality where the child was born. Please advise the local registrar that the birth certificate is incomplete. The local registrar will then be responsible for obtaining the signature of the mother or other person who attended the birth. The certifier must sign before the birth certificate can be filed or copies issued.

PRIMARY PAYOR FOR THIS DELIVERY

- Medicaid select this choice if the mother's care was paid for by Medicaid, PCAP, MOMS,
 Child Health Plus A, Medicaid Managed Care, or Family Health Plus
- **Private Insurance** select this item if the mother's care was paid for by private insurance, including indemnity insurance and/or managed care insurance
- **Self-pay** select this item if the mother had no health insurance
- Indian Health Service
- **CHAMPUS/TRICARE** (Military and dependents)
- Other government (e.g. Child Health Plus B, Veteran's Administration)
- Other
- Unknown

MEDICAID CLIENT IDENTIFICATION NUMBER (CIN)

The CIN (Client Identification Number) is a unique identifying number that is assigned to individuals who are in receipt of Medicaid or Family Health Plus. The "number" sequence always consists of two letters, followed by five numbers, followed by another letter. Medicaid enrollees should have an identification card with the CIN. Family Health Plus enrollees will NOT have a "Medicaid" or "Family Health Plus" card, but will have a Managed Care card which should have a number with the CIN sequence; this suggests that a person who presents with a managed care card with what appears to be a CIN may be enrolled in Family Health Plus. If a hospital has reason to believe that a mother is in receipt of Medicaid/Family Health Plus but they do not have a number, there is a provider line that a hospital or doctor's office can call to obtain the number (518 473-4620); the client's name, date of birth, and social security number will be needed. If a hospital has reason to believe that a mother is in receipt of Medicaid/Family Health Plus but they do not have a number and are unable to obtain one, they should report the payor as Medicaid on SPDS (either primary or secondary), and the system will attempt to find the mother's case based on demographic information (such as name, Social Security Number and

date of birth).

SECONDARY MEDICAID PAYOR?

Select 'yes' if the mother's primary payor is NOT Medicaid, but she had Medicaid coverage.

HMO ENROLLMENT?

Select 'yes' if the mother's primary insurer is either Medicaid, private, Indian Health Service, CHAMPUS/TRICARE, or other government and she was enrolled in a managed care plan/organization. Synonyms for managed care plan include health maintenance organization (HMO) and preferred provider organization (PPO).

RELEASE OF INFORMATION ATTESTATION

• SOCIAL SECURITY This release form indicates whether NYSDOH has parental permission to furnish the Social Security Administration with information from this form, so that they may issue a Social Security number in the child's name. This is known as the Enumeration At Birth (EAB) program. A 'Yes' should only be indicated if a parent has signed the release and the release is kept on file in the hospital.

If the parents do not have an SSN themselves, hospitals should encourage the parents to apply for the child's SSN through the EAB process. The EAB program requires that the child have a first and last name and be alive at the time of the application. If the parents have not selected a first name for the child, they may not participate in the EAB process. If the parents have not selected a first name for the child, enter the last name only and make the parents aware that they may apply for a social security number at their local Social Security office once they have chosen a first name. Do not enter Baby girl, Child, Infant boy, etc.

INFANT SCREEN

INFANT'S NAME

If the parents have not selected given names for the child, enter the last name only. Do not enter Baby girl, Child, Infant boy, Newborn, Female, Male, etc. The child must have a first and last name in order to receive a social security card and number through the Enumeration at Birth

- FIRST Capitalize the first letter of the entire name.
- MIDDLE Capitalize the first letter of the entire name.
- LAST Enter the last name of the child according to the following instructions:

Married Couple: A married couple may select any surname for their child. They may choose the traditional paternal surname, the maternal surname, the maternal maiden name, a combination of paternal and maternal surnames (hyphenated or otherwise), a name derived from ethnic custom, a name unrelated to the parents, etc

If there is a disagreement between the parents that cannot be resolved within the 5-day filing requirement, we recommend that you enter the husband's surname as the surname of the child. Advise the parents that they may change the child's name by court order.

If non-marital birth is alleged, the mother may select the child's surname unless the husband objects. If the husband objects, enter his surname. The final choice of surname will be determined after the court rules on the child's paternity.

Unmarried Mother: The mother may select any surname that she wants for the child.

She may even choose the name of the putative father regardless of whether or not he has signed an Acknowledgment of Paternity.

Without an Acknowledgment of Paternity, surname, in and of itself, does not prove parentage.

Widowed or Divorced: Selection of surname will depend on when the child was conceived. If conception occurred before the husband's death or the divorce was finalized, handle in the same manner as for a married couple. If conception occurred after the husband's death or the divorce was finalized, handle in the same manner as for an unmarried mother.

■ SUFFIX Select an acceptable entry from the list provided in SPDS (Jr., 1st –10th, or Roman numerals I – X).

INFANT'S SEX

Record the child's sex by checking the appropriate box. In the event that the sex is indeterminate, be sure that the appropriate congenital malformation is recorded in the medical portion of the certificate.

PLURALITY

Specify the type of delivery as single, twin, triplet, etc by using 1, 2, 3 etc.

BIRTH ORDER

If the birth results in one child, this field will be automatically filled with a '0'. If the birth results in more than 1 child, specify the order in which this child was born, i.e., first, second, etc. Be sure to count each member of this delivery, even if born dead. A separate birth certificate or fetal death certificate, as the case may be, is required for each member of a multiple birth.

INFANT'S MEDICAL RECORD NUMBER

Enter the medical record number from the infant's chart.

NUMBER OF LIVE BIRTHS (If Multiple Births)

This is used to check the values entered in plurality and birth order fields.

NUMBER OF FETAL DEATHS (If Multiple Births)

This is used to check the values entered in plurality and birth order fields.

INFANT'S DATE OF BIRTH

Enter the exact month, day and year (including the century) the child was born. When entering the date enter the numbered abbreviation for the date in the correct fields (e.g., 06 04 2001). Midnight or 2400 hours in military time belongs to the day that is ending. A new day begins at 12:01 a.m. or 0001 in military time.

INFANT'S TIME OF BIRTH

Enter the correct local time. Use standard or military time. Valid entries for military time are 0001-2400. Midnight or 2400 hours in military time belongs to the day that is ending. A new day begins at 12:01 a.m. or 0001 in military time.

BIRTHWEIGHT

Enter the birthweight of the infant as it is recorded on the hospital record. Enter the birthweight in either grams **OR** pounds and ounces, depending on the scales used. Do not convert from one

measure to the other. The SPDS will display the weight in both grams and pounds and ounces.

IF BIRTHWEIGHT < 1250 GRAMS (or 2 lbs 12 oz.), REASON FOR DELIVERY AT A LESS THAN LEVEL III HOSPITAL

Please indicate reasons for delivery at birth hospital if it is not a Level III or IV facility and the infant's birthweight is less than 1250 grams, or 2lbs. 12oz..

- Rapid/advanced labor 4 or more centimeters dilated
- Bleeding more than 100 ml/hr
- Fetus at risk/NFS

Qİ

Qİ

QI

QI

QI

QI QI

Qİ

QI

- o Evidence from a biophysical profile of a disturbance in utero
- o Positive contraction stress test, the presence of late decelerations, during oxytocin stimulation with half or more of the contractions
- o Breech or a malpresentation such as transverse lie, shoulder presentation
- o Frank prolapse of the cord
- o Fetal structural anomaly, such as fetal hydrocephalus
- o Persistent late decelerations during most contractions
- o Persistent variable decelerations during most contractions, often 60 to 80 bpm
- o Prolonged bradycardia below 120 to 100 bpm 10 minutes or longer
- o Prolonged tachycardia above 160 to 180 bpm persisting longer than 10 minutes
- o Fetal scalp pH of less than 7.2. Include acidosis.
- Severe preeclampsia/eclampsia Select this if one or more of the following criteria is present:
 - Blood pressure of 160 mm Hg systolic or higher or 110 mm Hg diastolic or higher on two occasions at least 6 hours apart while the patient is on bed rest.
 - o Proteinuria of 5 g or higher in a 24-hour urine specimen or 3+ or greater on two random urine samples collected at least 4 hours apart.
 - o Oliguria of less than 500 mL in 24 hours
 - o Cerebral or visual disturbances
 - o Pulmonary edema or cyanosis
 - o Epigastric or right upper-quadrant pain
 - Impaired liver function
 - o Thrombocytopenia
 - o Fetal growth restriction
 - o seizures/convulsions
- Woman refused transfer
- Other (specify)
- None
- Unknown at this time

INFANT TRANSFERRED

Indicate whether the infant was transferred to another facility within 24 hours or after 24 hours.

HOSPITAL INFANT TRANSFERRED TO

If the infant was transferred to another facility within NYS choose from the list in the SPDS. If the infant was transferred to a hospital that is not in New York State choose the state the infant was transferred to from the list in the SPDS.

APGAR SCORE AT 1, 5, AND 10 MINUTES

Enter 1-minute and 5-minute scores for all newborns. Enter a 10-minute score if the 5-minute score is less than 6.

IS THE INFANT ALIVE?

Indicate the infant's vital status, alive or dead, at the time the birth certificate was filed by selecting Yes, No, or Transferred/Status Unknown. Remember the birth certificate is intended to report the facts of birth and the 72 hours immediately following the birth.

CLINICAL ESTIMATE OF GESTATION

The obstetric estimate of the infant's gestation in completed weeks based on the birth attendant's final estimate of gestation which should be determined by all perinatal factors and assessments such as ultrasound, but not the neonatal exam.

NEWBORN TREATMENT GIVEN?

Indicate if vitamin K was given. Also, indicate if there was preventative treatment for conjunctivitis administered.

INFANT FEEDING

During the period between birth and the fifth day of life (or discharge from the hospital if the infant is discharged before the fifth day of life), indicate whether the infant has been fed breast milk exclusively, infant formula only, a combination of both breast milk and formula, or other.

- Breast Milk Only: (Exclusive breast milk feeding) Infant has been fed ONLY breast milk and no other liquids or solids except for drops or syrups consisting of vitamins, minerals, or medicines. Breast milk feeding includes expressed mother's milk as well as donor human milk, both of which may be fed to the infant by means other than suckling at the breast.
- Formula Only: Infant has been fed formula (any amount). Has NOT been fed any breast milk. May or may not have been fed other liquids, such as water or glucose water.
- Both Breast Milk and Formula: Infant has been fed BOTH breast milk (any amount) AND formula, water, glucose water and/or other liquids (any amount).
- Other: Infant has NOT been fed any breast milk or formula. This response is rare; it will include infants in the intensive care unit who require intravenous feeding.

NES NEWBORN SCREENING

NBS

NBS

NBS

IMM

IMM

- Screen Lab ID Number: Enter the nine-digit Lab ID number that appears on the upper left corner of the Newborn Screening Blood Collection Form. It may be necessary to contact the Newborn Screening Coordinator for this information.
- Reason if Lab ID not submitted Select the appropriate check box. The "ID unknown/illegible' item should be chosen when the Brood Collection Form was completed and the
 - o Lab ID number cannot be read; or the
 - Lab ID number does not pass the validation algorithm. An error message will occur if an invalid number is entered.

HEPATITIS B INOCULATION

Immunization Administered Select "Yes" for this item if the infant received a dose of Hepatitis B vaccine. Synonyms: HB vaccine, Recombivax HB and Engerix-B.

- Date Immunization Administered No partial dates are allowed.
- **Manufacturer:** Choose the manufacturer from the drop down list. If you have a manufacturer that does not appear on the drop down list contact NYSIIS staff at (518) 473-2839 so that it may be added to the list.
- Lot: Enter lot number from the vaccine packaging, vial or pre-filled syringe.

Immunoglobulin Administered Select "Yes" for this item if the infant received a dose of Hepatitis B immunoglobulin. Synonyms: HBIG, H-BIG, HyperHep, Hep-B-Gammagee.

• **Date Immunoglobulin Administered** No partial dates are allowed.

- IMM
- **Manufacturer** Choose the manufacturer from the drop down list. If you have a manufacturer that does not appear on the drop down list contact NYSIIS staff at (518) 473-2839 so that it may be added to the list.
- IMM
- Lot: Enter lot number from the vaccine packaging, vial or pre-filled syringe.
- NOTE: HEARING SCREENING: Prior to discharge, every infant born should have their hearing screened. Several attempts to screen the infant may occur prior to discharge. Only record the results of the final screen that occurs prior to discharge.
- HS HEARING SCREENING

Select the screening scenario that best fits the infant.

- Not Answered
 - Screening performed (One or both ears) Enter the results and other supplemental information regarding the hearing screening conducted on one or both ears.
- Not performed Facility related Select this item if the hearing screen was not performed due to a facility related issue (i.e.: equipment failure, staffing shortage, no weekend coverage, etc).
- Not performed Medical Exclusion (Both ears) Select this item if the hearing screening was not performed on either ear due to medical reason (i.e.: Microtia, anotia, atresia, admission to NICU, etc). This does NOT include instances where vernix caseosa (birth debris in ear canal) may affect screening accuracy.
 - Not performed Parent refused Select this item if the hearing screen was not performed because the parent refused the screening.
- HS EQUIPMENT TYPE

HS

HS

HS

HS

Enter the type of equipment used to screen the infant for the final hearing screening prior to discharge.

- AABR Select this item if the infant was screened for hearing loss utilizing Automated Auditory Brainstem Response (AABR) technology.
 - **ABR** Select this item if the infant was screened for hearing loss utilizing Auditory Brainstem Response (ABR) technology.
 - **TEOAE** Select this item if the infant was screened for hearing loss utilizing Transient Evoked Otoacoustic Emission (TEOAE) technology.
 - **DPOAE** Select this item if the infant was screened for hearing loss utilizing Distortion Product Otoacoustic Emission (DPOAE) technology.
 - **UNKNOWN** Select this item if the technology used to screen the infant for hearing loss is unknown.
 - NOT ANSWERED
- HS SCREENING RESULTS (LEFT EAR)

Enter the results of the final hearing screening conducted prior to discharge for the left ear.

- **Pass** Select this item if the infant's left ear passed the final pre-discharge hearing screening.
- **Refer** Select this item if the infant's left ear did not pass (refer) the final pre-discharge hearing screening.
- Not Performed Medical Exclusion Select this item if the hearing screening for the infant's left ear was not performed due to medical reason (i.e.: Microtia, anotia, atresia, admission to NICU, etc). This does NOT include instances where vernix caseosa (birth debris in ear canal) may affect screening accuracy.

SCREENING RESULTS (RIGHT EAR)

Enter the results of the final hearing screening conducted prior to discharge for the right ear.

- Pass—Select this item if the infant's right ear passed the final pre-discharge hearing screening.
- **Refer** Select this item if the infant's right ear did not pass (refer) the final pre-discharge hearing screening.
- Not Performed- Medical Exclusion Select this item if the hearing screening for the infant's right ear was not performed due to medical reason (i.e.: Microtia, anotia, atresia, admission to NICU, etc). This does NOT include instances where vernix caseosa (birth debris in ear canal) may affect screening accuracy.

DATE HEARING SCREENING CONDUCTED

Enter the date the final hearing screening was conducted prior to discharge.

ABNORMAL CONDITIONS OF THE NEWBORN

- Assisted ventilation required immediately after delivery: Infant given manual breaths with bag and mask or bag and endotracheal tube within the first several minutes from birth for any duration. Excludes oxygen only and laryngoscopy for aspiration of meconium.
- Assisted ventilation required for more than 6 hours: Infant given mechanical ventilation (breathing assistance) by any method for more than 6 hours. Includes conventional, high frequency and/or continuous positive airway pressure (CPAP).
- Neonatal Intensive Care Unit (NICU): Admission into a unit staffed and equipped to provide continuous mechanical ventilatory support for the newborn. This includes special nurseries and newborns transferred to a hospital with a NICU for the purpose of providing that infant with intensive care (e.g. surgery or ventilatory support). Temporary stays in the NICU would not be reported as a NICU admission. Only if the infant is actually admitted to the NICU should it be reported as such.
- Newborn given surfactant replacement therapy: Endotracheal instillation of a surfaceactive suspension for the treatment of surfactant deficiency due to either preterm birth or pulmonary injury resulting in decreased lung compliance (respiratory distress). Includes both artificial and extracted natural surfactant.
- Antibiotics received by the newborn for suspected neonatal sepsis: Any antibacterial drug given systemically (intravenous or intramuscular.)(e.g. penicillin, ampicillin, gentamicin, cefotoxine, etc.) to treat neonatal sepsis, a blood-borne bacterial infection of the newborn.
- Seizure or serious neurologic dysfunction: Seizure defined as any involuntary repetitive, convulsive movement or behavior. Serious neurologic dysfunction defined as severe alteration of alertness such as obtundation, stupor, or coma, i.e. hypoxicischemic encephalopathy. Excludes lethargy or hypotonia in the absence of other neurologic findings. Exclude symptoms associated with Central Nervous System (CNS) congenital anomalies.
- Significant birth injury: (e.g., skeletal fracture(s), peripheral nerve injury and/or soft tissue/solid organ hemorrhage that requires intervention) Defined as present immediately following delivery or manifesting following delivery. Includes any bony fracture or weakness, but excludes fractured clavicles and transient facial nerve palsy. Soft tissue hemorrhage requiring evaluation and/or treatment includes sub-galeal (progressive extravasation within the scalp) hemorrhage, giant cephalohematoma, extensive truncal, facial and /or extremity ecchymossi accompanied by evidence of anemia and/or hypovolemia and/or hypotension. Solid organ hemorrhage includes subcapsular hematoma of the liver, fractures of the spleen, or adrenal hematoma. All require confirmation by diagnostic imaging or exploratory laparotomy. Note: DO NOT include Intraventricular

hemorrhage (IVH) in this item. See below for listing of significant birth injuries:

- o Adrenal hemorrhage/hematoma
- Brachial plexus injury (Also reported as Erb's Palsy, Ducjenne-Erb Paralysis, Klumpke's Palsy, Klumpke-Déjérine Syndrome)
- o Cranial fracture (exclude cephalohematoma, hemorrhagic caput succedaneum)
- o Facial palsy non transient
- o Femur fracture
- o Humerus fracture
- Intracranial hemorrhage, including subdural or subarachnoid hemorrhage, but excluding intraventricular hemorrhage (IVH)
- o Peripheral nerve injury
- o Phrenic nerve injury
- o Recurrent laryngeal nerve injury
- o Ruptured liver and/or spleen
- o Skeletal fractures Exclude clavicle fractures.
- o Skull/cranial fracture also reported by skull bone: parietal, frontal or occipital fracture
- o Soft tissue or solid organ hemorrhage
- o Subgaleal hemorrhage
- o Subcapsular hemorrhage of liver
- o None: Select this item if none of the items listed are selected, even if other abnormal conditions of the newborn exist.
- Unknown: Select this item if it is not currently known if any of the listed conditions of the newborn exist.

CONGENITAL ANOMALIES SCREEN

CONGENITAL ANOMALIES OF THE CHILD

Indicate any of the specific conditions listed below. Information about other congenital anomalies is no longer being collected on the birth certificate. All congenital anomalies, both those listed below and any other significant anomaly, must be reported to the New York State Congenital Malformations Registry. Call (518) 402-7990 for further information about reporting.

- ANENCEPHALY Select this item if diagnosed by a physician. Synonyms include absent brain, acrania, anencephalic, anencephalus, amyelencephalus, craniorachischisis, hemianencephaly, or hemicephaly.
- MENINGOMYELOCELE / SPINA BIFIDA Select this item if diagnosed by a
 physician. Synonyms include meningocele, myelocele, myelomeningocele, myelocystocele,
 syringomyelocele, hydromeningocele, rachischisis. Do NOT include spina bifida occulta
 detected on radiographs.
- CYANOTIC CONGENITAL HEART DISEASE Select this item if any of the following conditions has been diagnosed by a physician: transposition of the great arteries (vessels), teratology of Fallot, pulmonary or pulmonic valvular atresia, tricuspid atresia, truncus arteriosus, total or partial anomalous pulmonary venous return with or without obstruction.
- CONGENITAL DIAPHRAGMATIC HERNIA Select this item if diagnosed by a physician.
- OMPHALOCELE Select this item if diagnosed by a physician. Synonyms include exomphalos. Do NOT include umbilical hernia (completely covered by skin) in this category.
- GASTROSCHISIS Select this item if diagnosed by a physician. Synonyms include limbbody wall complex.

- LIMB REDUCTION DEFECT Select this item if diagnosed by a physician. This includes a missing hand, arm, foot, or leg, or any portion of it, excluding congenital amputation and dwarfing syndromes.
- CLEFT LIP WITH OR WITHOUT CLEFT PALATE Select this item if diagnosed by a
 physician. Synonyms for cleft lip include harelip, cheiloschisis, and labium leporinum.
 Synonyms for cleft palate include cleft uvula, palate fissure, and palatoschisis.
- CLEFT PALATE ALONE Select this item if diagnosed by a physician. Synonyms include cleft uvula, palate fissure, palatoschisis. If cleft lip also present, record only under item above.
- **DOWN SYNDROME** Select this item if diagnosed by a physician. Synonyms include Trisomy 21. Indicate "Karyotype Confirmed" if chromosomal studies have been completed. Indicate "Karyotype Pending" if chromosomal studies have been initiated, but final results are not in.
- OTHER CHROMOSOMAL DISORDER Select this item if diagnosed by a physician. Examples include Trisomy 13, Trisomy 18, Klinefelter syndrome, Edwards syndrome, Patau syndrome. Indicate "Karyotype Confirmed" if chromosomal studies have been completed. Indicate "Karyotype Pending" if chromosomal studies have been initiated, but final results are not in.
- **HYPOSPADIAS** Select this item if diagnosed by a physician.
- NONE Select this item if the infant had none of the anomalies listed, even if he/she had
 other congenital anomalies. All significant congenital anomalies must be reported to the
 New York State Congenital Malformations Registry.
- UNKNOWN AT THIS TIME

LABOR AND DELIVERY SCREEN

MOTHER TRANSFERRED FROM ANOTHER FACILITY IN ANTEPARTUM?

Indicate Yes or No. Indicate 'yes' only if the mother was transferred from another hospital prior to delivery because the delivery was believed to be high risk.

NYS FACILITY MOTHER WAS TRANSFERRED FROM

If the mother was transferred from a hospital within New York State, choose from the list in the SPDS. If the mother was transferred from a hospital that is not in New York State, enter the US state/territory or Canadian province of the transferring hospital.

MOTHER'S WEIGHT AT DELIVERY

METHOD OF DELIVERY

FETAL PRESENTATION

- Cephalic Synonyms include vertex. Presenting part of the fetus listed as occiput anterior (OA), occiput posterior (OP).
- Breech Presenting part of the fetus listed as breech, complete breech, frank breech, footling breech.
- o **Other** -- Any other presentation or presenting part not listed above.
- o Unknown

ROUTE & METHOD

Indicate how delivery was finally accomplished, regardless of whether other procedures were attempted prior to successful delivery.

CESAREAN SECTION HISTORY

o **Previous C-section** Select 'Yes' if mom has had a previous operative delivery in which

the fetus was extracted through an incision in the maternal abdominal and uterine walls.

o **Number** Indicate the number of previous c-section deliveries.

ATTEMPTED PROCEDURES

- o Forceps Select 'yes' if forceps delivery was attempted unsuccessfully.
- o Vacuum Select 'yes' if vacuum delivery was attempted unsuccessfully.

TRIAL OF LABOR

If infant was delivered by cesarean, indicate whether mother had a trial of labor before the cesarean.

INDICATIONS FOR C-SECTION

- Failure to progress Select this item if a cesarean was performed because labor progressed more slowly than normal or because labor stopped before full dilation of the cervix; synonym: dystocia and arrest of descent
- Fetus at Risk/NFS Select this item if a cesarean was performed because of concerns about the fetus's wellbeing and ability to tolerate labor.
 - o Evidence from a biophysical profile of a disturbance in utero
 - Positive contraction stress test, the presence of late decelerations, during oxytocin stimulation with half or more of the contractions
 - o Breech or a malpresentation such as transverse lie, shoulder presentation
 - o Frank prolapse of the cord
 - o Fetal structural anomaly, such as fetal hydrocephalus
 - o Persistent late decelerations during most contractions
 - o Persistent variable decelerations during most contractions, often 60 to 80 bpm
 - o Prolonged bradycardia below 120 to 100 bpm 10 minutes or longer
 - o Prolonged tachycardia above 160 to 180 bpm persisting longer than 10 minutes
 - o Fetal scalp pH of less than 7.2. Include acidosis.
- Malpresentation Select this item if the presenting part of the fetal body within the birth canal, or nearest to it was NOT the vertex or the occipital fontanel. Synonyms include face presentation, brow presentation, frank breech, complete breech, footling breech, transverse lie, shoulder presentation and oblique lie.
- Maternal Condition Pregnancy Related Select this item if the mother had an obstetric condition that led to cesarean delivery, e.g. abruptio placenta, placenta previa.
- Maternal Condition Not Pregnancy Related Select this item if the mother had a nonobstetric medical condition that led to cesarean delivery, e.g. active genital herpes, HIV infection.
- Elective Select this item if the cesarean delivery was planned and scheduled prior to the onset of labor. In addition to selecting "Elective", you must also select a specific indication for the cesarean, unless it was done for a non-medical indication.
- Other Select this item if the indication for cesarean does not fall into any of the other categories.
- **Refused VBAC** Select this item if the mother was eligible for a trial of labor, but refused, opting for repeat cesarean delivery instead. Synonym: refused voluntary trial of labor.
- **Previous C-Section** Select this item if the mother had a previous cesarean delivery and was not eligible for trial of labor, e.g. due to classical uterine scar.
- Unknown

QI

INDICATIONS FOR VACUUM

- Failure to progress Select this item if a vacuum extractor was used because delivery (second stage of labor) was progressing more slowly than normal; other related terms: dystocia, maternal exhaustion.
- Fetus at Risk / NFS Select this item if a vacuum extractor was used because of concerns

- about the fetus's wellbeing.

 Evidence from a biophy
 - o Evidence from a biophysical profile of a disturbance in utero
 - Positive contraction stress test, the presence of late decelerations, during oxytocin stimulation with half or more of the contractions
 - o Breech or a malpresentation such as transverse lie, shoulder presentation
 - o Frank prolapse of the cord
 - o Fetal structural anomaly, such as fetal hydrocephalus
 - o Persistent late decelerations during most contractions
 - o Persistent variable decelerations during most contractions, often 60 to 80 bpm
 - o Prolonged bradycardia below 120 to 100 bpm 10 minutes or longer
 - o Prolonged tachycardia above 160 to 180 bpm persisting longer than 10 minutes
 - o Fetal scalp pH of less than 7.2. Include acidosis.
 - Other Select this item if an indication other than those listed above was given for the use of vacuum extraction.
 - Unknown

INDICATIONS FOR FORCEPS

- Failure to progress Select this item if forceps were used because delivery (second stage of labor) was progressing more slowly than normal; other related terms: dystocia, maternal exhaustion.
- Fetus at Risk / NFS Select this item if forceps were used because of concerns about the fetus's wellbeing.
 - o Evidence from a biophysical profile of a disturbance in utero
 - o Positive contraction stress test, the presence of late decelerations, during oxytocin stimulation with half or more of the contractions
 - o Breech or a malpresentation such as transverse lie, shoulder presentation
 - Frank prolapse of the cord
 - o Fetal structural anomaly, such as fetal hydrocephalus
 - o Persistent late decelerations during most contractions
 - o Persistent variable decelerations during most contractions, often 60 to 80 bpm
 - o Prolonged bradycardia below 120 to 100 bpm 10 minutes or longer
 - o Prolonged tachycardia above 160 to 180 bpm persisting longer than 10 minutes
 - o Fetal scalp pH of less than 7.2. Include acidosis.
- Other Select this item if an indication other than those listed above was given for the use of forceps.
- Unknown

ONSET OF LABOR

- Precipitous Labor Select this if the total time between onset of labor and delivery was
 fewer than 3 hours. Precipitous labor and prolonged labor are mutually exclusive and
 therefore both may not be chosen for the same delivery.
- **Premature Rupture of Membranes** Select this item if there was spontaneous tearing of the amniotic sac (natural breaking of the 'bag of waters') before labor begins.
- **Prolonged Labor** Select this item if the total time between onset of labor and delivery was 20 hours or longer, regardless of mother's parity. Precipitous labor and prolonged labor are mutually exclusive and therefore both may not be chosen for the same delivery.
- **Prolonged Rupture of Membranes** Select this item if the mother's membranes ruptured 12 hours or more before delivery, regardless of whether the mother was in labor or not.
- None Select this item if none of the items listed are selected.
- Unknown at this time

CHARACTERISTICS OF LABOR AND DELIVERY

- Induction of Labor AROM Initiation of uterine contractions by surgical means for the purpose of promoting delivery before spontaneous onset of labor. Synonyms include: artificial rupture of membranes, amniotomy. If AROM was done to augment labor that should be reported under Augmentation of Labor.
- Induction of Labor Medical Initiation of uterine contractions by administration of medications (e.g. pitocin, prostaglandin) for the purpose of promoting delivery before spontaneous onset of labor.
- **Augmentation of Labor** Simulation of uterine contractions by drug or manipulative technique with the intent to reduce the time to delivery.
- Steroids (glucosteroids) Steroids given any time prior to delivery for fetal lung maturation received by the mother prior to delivery. Includes betamethasone, dexamethasone or hydrocortisone specifically given to accelerate fetal lung maturation in anticipation of preterm delivery. Excludes steroid medication given to mother as an anti-inflammatory treatment.
- Antibiotics This includes antibiotics given to the mother during labor. It includes antibacterial medications given systemically (intravenous or intramuscular) to the mother in the interval between the onset of labor and the actual delivery (Ampicillin, Penicillin, Clindamycin, Erythromycin, Gentamicin, Cefataxime, Ceftriaxone, etc.).
- Chorioamnionitis A clinical diagnosis of chorioamnionitis during labor made by the delivery attendant. Usually includes more than one of the following: fever (> 100.4 F or 38 C), uterine tenderness and/or irritability, leukocytosis, and fetal tachycardia. Any recorded maternal temperature at or above the febrile threshold as stated should be reported. However, do not report a single temperature elevation with a good alternative explanation.
- Meconium staining Staining of the amniotic fluid caused by passage of fetal bowel
 contents during labor and/or delivery which is more than enough to cause a greenish color
 change of an otherwise thin fluid, reguardless of the characteristics of the meconium.
- Fetal intolerance of labor such that one or more of the following actions was taken: inutero resuscitation measures, further fetal assessment or operative delivery; *In utero resuscitative measure-s* such as any of the following: maternal position change, oxygen administration to the mother, intravenous fluid administered to the mother, amnioinfusion, support of maternal blood pressure, and administration of uterine relaxing agents. *Further fetal assessment* includes any of the following: scalp pH, scalp stimulation, acoustic stimulation. *Operative delivery*-operative intervention to shorten time to delivery of the fetus such as forceps, vacuum, or cesarean delivery. The symptoms described and the measures used to treat them may be seen with administration of regional analgesia. However, if any of the measures listed in the Guide are documented in the chart, the response should be 'YES'. An isolated episode with a good alternative explanation that resolves readily should not be reported.
- External Electronic Fetal Monitoring Use of a non-invasive fetal monitoring device to track fetal heart rate during labor and/or delivery.
- Internal Electronic Fetal Monitoring Use of an internal fetal monitoring device (synonym: scalp electrode) to track fetal heart rate during labor and/or delivery.
- None Select this item if none of the items listed are selected, even if other characteristics of pregnancy exist.
- Unknown at this time

MATERNAL MORBIDITY

Admission to ICU Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care.

- Maternal transfusion Includes infusion of whole blood or packed red blood cells associated with labor and delivery.
- **Perineal laceration (3rd or 4th degree)** 3rd degree laceration extends completely through the perineal skin, vaginal mucosa, perineal body and anal sphincter. 4th degree laceration is all of the above with extension through the rectal mucosa.
- **Ruptured uterus** Tearing of the uterine wall.
- Unplanned Hysterectomy Surgical removal of the uterus that was not planned prior to admission for delivery. Includes an anticipated or possible but not definitively planned procedure.
- Admit to ICU Any admission, planned or unplanned, of the mother to a facility/unit designated as providing intensive care.
- Unplanned operating room procedure following delivery Any transfer of the mother back to a surgical area for an operative procedure that was not planned prior to the admission for delivery. Excludes postpartum tubal ligations.
- Postpartum transfer to a higher level of care
 - For maternity hospital deliveries: select this item if the mother was transferred to another hospital following delivery in order to provide her with more specialized or intensive care than available on the maternity service where she delivered.
 - o For planned out-of-hospital deliveries (e.g. birthing center, planned home birth): select this item if mother required admission to a hospital following delivery.
 - o For unplanned out-of-hospital or non-maternity hospital deliveries: Do not select this item if the mother was admitted to a maternity hospital after giving birth precipitously at home, en route to the hospital, or at a non-maternity hospital.
- None Select this item if none of the items listed are selected, even if other maternal morbidity conditions exist.
- Unknown at this time

ANALGESIA

Select "yes" for analgesia if during labor and/or delivery the mother received an analgesic medication, that is, one that decreases the sensation of pain (relief of pain). It may include any narcotic or non-narcotic painkiller. A sedative, that is, a substance that calms activity or excitement, does not qualify as analgesia when administered alone. Intrathecal (spinal) analgesia (narcotic +/- a small amount of local anesthetic), also called "intrathecal Duramorph," should be reported here AND as "Anesthesia, Spinal," since it carries risks and side effects of both. Exclude analgesics administered during other procedures performed after delivery such as episiotomy or laceration repair.

ANESTHESIA USED FOR DELIVERY

Indicate all types of anesthesia used during this labor and/or delivery. Anesthesia is a medication or other agent used to cause a loss of feeling (loss of sensation of pain). Report only the type of anesthesia used during labor and delivery, not the anesthetic agent.

- **Epidural:** Select this item if the denervation of the vaginal region and lower abdomen was obtained by the introduction of an anesthetic agent into the epidural or peridural space.
- Local: Select this item if the denervation of the vaginal area was obtained by the introduction of an anesthetic agent into the perineum for the provision of an episiotomy or repair of a laceration or episiotomy wound.
- **Spinal:** Select this item if the denervation of the vaginal region was obtained by the introduction of an anesthetic agent into the subarachnoid space. Synonyms include saddle block. Intrathecal (spinal) analgesia (narcotic +/- a small amount of local anesthetic), also called "intrathecal Duramorph," should be reported here AND as "Analgesia," since it carries risks and side effects of both.

- **General Inhalation:** Select this item if there was the reduction of pain over the entire body induced by respiration of a gaseous anesthetic agent.
- **Paracervical:** Select this item if the denervation of the vaginal region was obtained by the introduction of an anesthetic agent to the tissues surrounding the cervix of the uterus.
- **General Intravenous**: Select this item if there was the reduction of pain over the entire body induced by the introduction of an anesthetic agent into a vein.
- **Pudendal:** Select this item if the denervation of the pudendal nerve was obtained by an injection of an anesthetic agent.
- None Select this item if none of the items listed are selected.
- Unknown at this time

OTHER PROCEDURES PERFORMED AT DELIVERY

Record the procedures performed at the time of delivery or during the birth hospitalization.

- **Episiotomy & Repair** Select this procedure if an incision was made to enlarge the vaginal opening and then repaired.
- **Sterilization** Select this procedure if at any time during the birth hospitalization the mother received any procedure that permanently prevented future pregnancies. Synonyms include bilateral tubal ligation (BTL), hysterectomy, laparoscopic tubal ligation, oophorectomy, pomeroy, salpingectomy, tubal ligation.
- None Select this item if none of the items listed are selected.
- Unknown at this time

MOTHER'S SCREEN

MOTHER'S NAME

Enter the mother's first, middle and maiden names and her current last name. Maiden name is her last name at her birth, not a last name acquired by marriage.

MOTHER'S SOCIAL SECURITY NUMBER

Enter the parent's Social Security number. If the parent does not have a Social Security number, enter all zeros. If the Social Security number is unknown, enter all nines.

MOTHER'S MEDICAL RECORD NUMBER

Enter the medical record number from the mother's chart.

MOTHER'S DATE OF BIRTH

Enter the exact month, day and year (including the century) the parent was born. Use numbers for months and days such as 06 04 1977 for June 4, 1977.

MOTHER'S EDUCATIONAL LEVEL

Enter the highest degree or level of schooling completed by each parent. Enter the highest level completed only.

- Elementary school includes grades 01 through 08;
- Secondary school includes grades 09 through 12, without receipt of diploma or GED;
- High school graduate or GED recipient;
- Some college credit, but no degree should be selected if the parent received some postsecondary or college education, but no degree;
- Associate, Bachelor's, Master's, or Doctorate/Professional degree should be selected only if the degree was completed; select only the highest degree received;

- Unknown
- Do not enter any other kind of schooling or training. While beauty, barber, business, trade schools, etc., are important, they should not be considered for the purpose of this item.

MOTHER'S BIRTHPLACE

Select a country from the list of countries presented in the SPDS. If "USA" or "Canada" is selected, select the correct state or province from the list presented in the SPDS and then type the city of birth. Include both the city and state of the parent's birth. If "USA" is not selected, enter only the country the parent was born in.

MOTHER'S HISPANIC ORIGIN

Choose from the listing of Hispanic subgroups within the SPDS. If more than one was indicated by a parent, select as many as mentioned. There is no set rule as to how many generations are to be taken into account in determining ancestry or ethnic origin. The response is to reflect what the person considers himself or herself to be, and is not based on percentages of ancestry.

MOTHER'S RACE

Choose from the races listed in the SPDS. Race is self-reported, meaning the parent is considered to be whatever race they say they are, regardless of appearance. If the "Other", "American Indian", "Alaskan Native", "Other Asian" or "Other Pacific Islander" category is selected, enter up to 2 specific nationalities or tribes.

MOTHER'S RESIDENCE ADDRESS

A person's residence is not necessarily the same as the mailing address, legal address or voting address. Individual entry of residence items is the same as mailing address (above).

- The residence entry on the certificate should be the place the mother lives, not where she receives her mail.
- Do not enter a temporary residence such as an address used during a vacation, business trip
 or a visit to the home of a friend or relative or a home for unwed mothers.
- Do not use a post office box as a residence address.
- The place of residence during military duty or while attending college is considered a permanent residence and should be entered when applicable.
- For those whose permanent address is a prison or psychiatric facility they should list the street address of the facility. However, there should be no mention of the facility name.

MOTHER'S STATE OF RESIDENCE

Select the mother's state of residence from the list in the SPDS if the mother resides in the USA. If the mother does not reside in the USA, choose a country from the list in the SPDS and do not select a state.

MOTHER'S PHONE NUMBER

Enter the mother's area code and phone number of her residence.

MOTHER'S MAILING ADDRESS

This is where the parent receives their mail, not necessarily, where they live. Enter either the Post Office box number, city, state and zip code or the house number, street name, apartment number, city, state and zip code where the parent receives their mail. Each of the address segments are entered into separate fields: house number, street direction (e.g., N, SW), street name, street type (e.g., Dr, Ave, Pl), and apartment number.

- HOUSE NUMBER Enter the house number.
- STREET DIRECTION Enter the street direction such as North, South, East, West,

Northwest, Southeast etc.

- STREET NAME Enter the street name
- STREET TYPE Choose from the drop down list in the SPDS.
- CITY/TOWN/VILLAGE
- STATE CODE Choose from the drop down list in the SPDS.
- ZIP CODE 5 + 4 EXTENSION Enter either the 5 or 9-digit zip code.

EMPLOYED WHILE PREGNANT?

Select Yes or No, which ever is appropriate.

MOTHER'S CURRENT OR MOST RECENT OCCUPATION

Enter the mother's usual or most recent occupation. Enter homemaker only if she was NEVER employed outside the home. Enter student only if she was a FULL time student during this pregnancy and had never held a full time job at any previous time.

MOTHER'S KIND OF BUSINESS OR INDUSTRY

Enter the kind of business or industry related to the occupation. Examples of businesses or industries are government, retail store, farming, manufacturing, construction, insurance, chemical, etc.

MOTHER'S INDUSTRY NAME/ADDRESS

Enter the name and locality of the firm or company corresponding to the entry made in the kind of business or industry item. For example, "State Health Department - Albany, NY."

SECOND PARENT SCREEN (formerly FATHER'S SCREEN)

WHAT TYPE OF CERTIFICATE IS REQUIRED?

In most cases the answer to this question will be "Mother/Father." When the certificate is printed the titles "MOTHER" and "FATHER" will appear on certificate.

- MOTHER/FATHER certificate is used for:
 - o Single mothers in this case the father's section of the birth certificate will be left blank.
 - Heterosexual couples, whether married or executing an Acknowledgment of Paternity.
- MOTHER/MOTHER certificate is used for:
 - o Married female couples who are legally married in another jurisdiction.
 - o NOT used for those couples who are "domestic partners."

WILL THE MOTHER AND FATHER BE EXECUTING AN ACKNOWLEDGMENT OF PATERNITY – An Acknowledgment of Paternity may only be used for Mother/Father birth certificates.

- "Yes" means that the couple is not married but they wish to add the father to the birth certificate using form LDSS-4418. This form must be signed and witnessed BEFORE the birth certificate is filed with the local registrar.
- "No" means that this is for a single mother and only the mother's name will appear on the birth certificate.
- "Not Required" means that the couple is married. The couple may be heterosexual or same sex females.

SECOND PARENT'S CURRENT LAST NAME - FATHER

This is the last name the parent currently uses – Enter the name of the father in accordance with the following instructions:

In New York State, there is a legal presumption that a child is the legitimate offspring of the mother and the mother's husband. The husband's name should be entered as the father of the child on the birth certificate if at any time during the pregnancy the mother is:

- Married or separated;
- Divorced, if the divorce was granted after conception;
- Widowed, if widowed after conception.

New York State Public Health Law, Section 4135.2 requires a determination of parentage by a court of competent jurisdiction to name someone other than the mother's husband as the father of the child on the birth certificate. If a court determination cannot be obtained until after the birth certificate is filed, enter the husband's name or leave the father's name blank. Advise the mother that the State Health Department will enter the father's name upon receipt of a determination of parentage from the court.

If the mother has never been married, an Acknowledgment of Paternity (Form LDSS-4418) signed by both the mother and the putative father is required to enter the putative father's name as father on the birth certificate.

A properly completed Acknowledgment of Paternity is also required if, at the time of birth, the mother is unmarried and was divorced or widowed before conception. Hospitals should maintain a supply of Acknowledgement of Paternity forms. Form LDSS-4418 is available from your local registrar or the Office of Temporary and Disability Assistance.

Advise the mother that if an Acknowledgement of Paternity cannot be completed before the birth certificate is filed; the certificate must be filed with the father's name left blank. The father's name may be added later by filing an Acknowledgement of Paternity with the State Health Department.

SECOND PARENT'S CURRENT LAST NAME - MOTHER

This is the last name the parent currently uses. A female may be listed as the second parent *only* if she is legally married to the birth mother. Domestic partnerships are not marriages. Therefore, a woman in a domestic partnership with the birth mother may not be entered on the birth certificate as the second parent.

SECOND PARENT'S LAST NAME ON BIRTH CERTIFICATE

- For males this is usually the same as their current last name. In the event that a male changes his last name at the time of marriage, the name on his birth certificate would be listed here. This may or may not be the same as his current name depending on whether his name was changed by marriage only or changed through a court proceeding resulting in an amendment to his birth certificate.
- For females this is commonly referred to as maiden name.
- If the second parent was adopted it would be the last name on his or her birth certificate *after* adoption.

SECOND PARENT'S SOCIAL SECURITY NUMBER

Enter the parent's Social Security number. If the parent does not have a Social Security number, enter all zeros. If the Social Security number is unknown, enter all nines.

SECOND PARENT'S DATE OF BIRTH

Enter the exact month, day and year (including the century) the parent was born. Use numbers for months and days such as 06 04 1977 for June 4, 1977.

SECOND PARENT'S EDUCATIONAL LEVEL

Enter the highest degree or level of schooling completed by each parent. Enter the highest level completed only.

- Elementary school includes grades 01 through 08;
- Secondary school includes grades 09 through 12, without receipt of diploma or GED;
- High school graduate or GED recipient;
- Some college credit, but no degree should be selected if the parent received some postsecondary or college education, but no degree;
- Associate, Bachelor's, Master's, or Doctorate/Professional degree should be selected only if the degree was completed; select only the highest degree received;
- Unknown
- Do not enter any other kind of schooling or training. While beauty, barber, business, trade schools, etc., are important, they should not be considered for the purpose of this item.

SECOND PARENT'S BIRTHPLACE

Select a country from the list of countries presented in the SPDS. If "USA" or "Canada" is selected, select the correct state or province from the list presented in the SPDS and then key enter the city of birth. Include both the city and state of the parent's birth. If "USA" is not selected, enter only the country the parent was born in.

SECOND PARENT'S HISPANIC ORIGIN

Choose from the listing of Hispanic subgroups within the SPDS. If more than one was indicated by a parent, select as many as mentioned. There is no set rule as to how many generations are to be taken into account in determining ancestry or ethnic origin. The response is to reflect what the person considers himself or herself to be, and is not based on percentages of ancestry.

SECOND PARENT'S RACE

Choose form the races listed in the SPDS. Race is self-reported, meaning the parent is considered to be whatever race they say they are, regardless of appearance. If the "Other", "American Indian", "Alaskan Native", "Other Asian" or "Other Pacific Islander" category is selected, enter up to 2 specific nationalities or tribes.

SECOND PARENT'S RESIDENCE ADDRESS

A person's residence is not necessarily the same as the mailing address, legal address or voting address. Individual entry of residence items is the same as mailing address (above).

- The residence entry on the certificate should be the place the parent lives, not where he or she receives his or her mail.
- Do not enter a temporary residence such as an address used during a vacation, business trip
 or a visit to the home of a friend or relative.
- Do not use a post office box as a residence address.
- The place of residence during military duty or while attending college is considered a permanent residence and should be entered when applicable.
- For those whose permanent address is a prison or psychiatric facility they should list the street address of the facility. However, there should be no mention of the facility name.

SECOND PARENT'S STATE OF RESIDENCE

Select the father's state of residence from the list in the SPDS if the father resides in the USA. If

the father does not reside in the USA, choose a country from the list in the SPDS and do not select a state.

SECOND PARENT'S CURRENT OR MOST RECENT OCCUPATION

Enter the father's usual or most recent occupation. Enter homemaker only if he was never employed outside the home. Enter student only if he was a FULL time student during this pregnancy and had never held a full time job at any previous time.

SECOND PARENT'S KIND OF BUSINESS OR INDUSTRY

Enter the kind of business or industry related to the occupation. Examples of businesses or industries are government, retail store, farming, manufacturing, construction, insurance, chemical, etc.

SECOND PARENT'S INDUSTRY NAME/ADDRESS

Enter the name and locality of the firm or company corresponding to the entry made in the kind of business or industry item. For example, "Crowley Dairy – Binghamton, NY."

PRENATAL HISTORY SCREEN

DID MOTHER RECEIVE PRENATAL CARE?

PRIMARY PRENATAL CARE PROVIDER

Select the primary setting in which prenatal care was given:

- private office (MD, DO, midwife, managed care plan health center)
- clinic
- other
- no information select if mother received prenatal care but provider type unknown
- no provider select if mother received no prenatal care

PARTICIPATION IN WIC DURING PREGNANCY

Select yes if the mother received food support through the Special Supplemental Food Program for Women, Infants and Children (WIC).

DATE LAST NORMAL MENSES BEGAN

Enter the month, day and year on which the mother's last normal menses began for this pregnancy. If the exact day is unknown, but the month and year are known, obtain an estimate of the day from the mother or her physician. Entries such as "BEG" for beginning, "MID" for middle and "END" for the end of the month should be converted to '07', '15' and '24'.

ESTIMATED DUE DATE

Enter the month day and year on which the mother is expected to deliver her child(ren).

DATE OF FIRST PRENATAL CARE VISIT

Enter the date upon which the mother first presented for prenatal care. Include only the visit to a private physician or to a clinic or outpatient department of a hospital in which the mother's health history was taken and an initial physical examination for this pregnancy was performed. Do not include a visit in which only the fact of pregnancy was confirmed. The preferred source of this information is the prenatal care medical record. If an exact date is not available, try to get an estimate such as beginning, middle or end of the month. These estimates should be converted to

'07', '15' and '24', respectively. If no prenatal care was received, leave the date blank.

DATE OF LAST PRENATAL CARE VISIT

Enter the date upon which the mother's last prenatal care visit. Include only a visit to a private provider or to a clinic or outpatient department of a hospital in which the mother received prenatal care. Do not include healthcare visits unrelated to pregnancy care, e.g. emergency room care for an injury. If an exact date is not available, try to get an estimate such as beginning, middle or end of the month. These estimates should be converted to '07', '15' and '24', respectively. If no prenatal care was received, leave the date blank.

NUMBER OF PRENATAL VISITS

Enter the total number of prenatal visits made by the mother to a physician or prenatal clinic for the purpose of prenatal care. A prenatal visit includes all regular visits to a doctor or clinic and any other visits to a doctor, clinic or emergency room for treatment of a pregnancy related problem. If an exact date is not known estimate the number of visits.

PREVIOUS LIVE BIRTHS, NOW LIVING

- Enter the number of previous children born alive to this mother who are still alive at the time of this birth.
- Do not include the child for whom this certificate is being completed.
- If this is a multiple delivery, include any of the set previously born alive and are still living when the child named on this certificate was delivered.
- Indicate "None" if this is the first live birth to this mother or if all previous children are dead.

PREVIOUS LIVE BIRTHS, NOW DEAD

- Enter the number of previous children born alive to this mother who are now dead.
- If this is a multiple delivery, include in your count any of the set previously born alive who died before the delivery of the child named on this certificate.
- If none, indicate None.

PREVIOUS SPONTANEOUS TERMINATIONS - GESTATIONS OF 20 WEEKS OR MORE AND PREVIOUS SPONTANEOUS TERMINATIONS - LESS THAN 20 WEEKS GESTATION

- Enter only previous spontaneous fetal deaths.
- Enter the number of spontaneous fetal deaths in the space that corresponds to the gestation of the fetus at death. For example, fetal deaths of less than 20 weeks gestation (under 5 months) should be entered in the space labeled Less than 20 Weeks.
- If this is the mother's first pregnancy or if all previous pregnancies resulted only in live born infants or induced terminations, indicate None.
- If this is a multiple delivery, include in your count all fetuses in the set which were born dead prior to the infant that is named on this certificate.

PREVIOUS INDUCED TERMINATIONS OF PREGNANCY

- Enter the total number of fetal deaths resulting from an induced termination of pregnancy prior to the birth of the infant named on this certificate.
- If this is the mother's first pregnancy or if all previous pregnancies resulted in live born infants or spontaneous fetal deaths, indicate none.

TOTAL PRIOR PREGNANCIES

- Enter the total number of times that the mother was pregnant prior to this pregnancy.
- Count every previous pregnancy regardless of whether it resulted in live birth or fetal death.

• A previous pregnancy that resulted in a multiple delivery counts only as one pregnancy. If this is the mother's first pregnancy, enter "00".

DATE OF FIRST LIVE BIRTH

- Enter the month and year of the first live birth born to this mother.
- Do not enter the date of this live birth if it is a single birth.
- If this is the first pregnancy for this woman AND it is her second, third, etc. member of a set, enter the date of birth of the first live born child.

DATE OF LAST LIVE BIRTH

- Enter the month and year of the last live birth born to this mother.
- Do not enter the date of this live birth if it is a single birth.
- If this is the mother's first live birth, leave this item blank.
- If this is her second live birth, repeat the date entered in first live birth.
- For a multiple delivery, if this certificate is for the second, third, etc. member of the set, then the required date is the month and year of the last set member born alive prior to the child named on this certificate. Usually this date will be the same as for the child named on this certificate. If all previous set members were born dead or if this certificate is for the first set member, enter the month and year of the last delivery involving a live birth.

DATE OF LAST OTHER PREGNANCY OUTCOME

- Enter the month and year of the mother's last spontaneous or induced termination.
- If this is the mother's first delivery or if all previous deliveries resulted in only live born infants, leave this item blank.
- For a multiple delivery, if this certificate is for the second, third, etc. member of the set and previously delivered set members were born dead, enter the month and year of the last set member born dead. Usually this will be the same date as the birth date of the child named on this certificate.
- If all previously delivered set members were born alive, or if this certificate is for the first set member, enter the month and year of the last delivery involving a fetal death.

PREPREGNANCY WEIGHT

Enter the mother's weight prior to this pregnancy.

MATERNAL HEIGHT

Enter the mother's height in feet and inches.

PRENATAL CARE SCREEN

RISK FACTORS IN THIS PREGNANCY

Select the items below if diagnosed by a physician.

- **Prepregnancy Diabetes** Glucose intolerance requiring treatment diagnosed prior to this pregnancy.
- Gestational Diabetes Glucose intolerance requiring treatment, diagnosed during to this pregnancy.
- **Prepregnancy Hypertension** (Chronic) Elevation of blood pressure above normal for age, gender, and physiological condition diagnosed prior to the onset of this pregnancy.
- **Gestational Hypertension** (PIH, Preeclampsia) Elevation of blood pressure above normal for age, gender, and physiological condition, diagnosed during this pregnancy

- Other Serious Chronic Illnesses Select this item if the mother has a chronic illness that requires ongoing medical care and carries a significant risk of premature death or disability (e.g. ulcerative colitis, multiple sclerosis; NOT eczema, allergic rhinitis).
- **Previous Preterm Births** History of pregnancy(ies) terminating in a live birth of less than 37 completed weeks of gestation.
- **Abruptio Placenta** Synonyms include placental abruption, premature detachment of the placenta.
- **Eclampsia** is diagnosed when convulsions, not caused by any coincidental neurological disease such as epilepsy, develop in a woman who also has clinical criteria for preeclampsia.
- Other Poor Pregnancy Outcomes (Includes perinatal death, small for gestational age/intrauterine growth restricted birth.) History of pregnancies continuing into the 20th week of gestation (post menstrual age) and resulting in any of the listed outcomes. Perinatal death includes fetal and neonatal deaths.
- Prelabor Referral For High Risk Select this item if the patient was identified as needing a higher level of care for maternal medical or fetal was then referred from the lower level of care to a higher level. This includes being referred for testing/consultation, or for transfer of care to a high risk provider. It's not so much a measure of the patient's risk status per se, as a measure of the responsiveness of the system to changes in status.
- Other Vaginal Bleeding during this pregnancy prior to onset of labor: Any reported or observed bleeding per vaginum at any time in the pregnancy presenting prior to the onset of labor. Include placenta previa here.
- **Previous Low Birthweight Infant** A previous live birth where the infant's birthweight was less than 2,500 grams.
- Pregnancy Resulted from Infertility Treatment Any assisted reproduction technique used to initiate the pregnancy. Infertility Treatment is any assisted reproduction technique used to initiate the pregnancy. Check this item if any of the following apply:
 - Fertility-enhancing drugs, artificial insemination or intrauterine insemination. Ovulation induction/stimulation (Clomid, Pergonal) should be included here.
 - Assisted reproductive technology, e.g., in vitro fertilization (IVF), gamete intrafallopian transfer (GIFT). Intracytoplasmic sperm injection, zona drilling ISCI, SUZI and ZIFT should be included here.
 - Enter the number of embryos implanted, if applicable. The number of embryos implanted is a QI item.
- None of the above. Select this item if none of the items above are selected, even if other medical/obstetric risk factors exist.
- Unknown

INFECTIONS

- **Gonorrhea** Select this item if the mother had a diagnosis of or received treatment for gonorrhea during this pregnancy. Synonyms include *Neisseria gonorrhoeae*.
- **Syphilis** Select this item if the mother had a diagnosis of or received treatment for syphilis during this pregnancy. Synonyms include *Treponema palidum*
- **Herpes simplex virus (HSV)** Select this item if the mother had a diagnosis of or received treatment for herpes simplex virus during this pregnancy. Synonyms include HSV.
- **Chlamydia** Select this item if the mother had a diagnosis of or received treatment for a positive test for *Chlamydiatrachomatis*
- **Hepatitis B** (HBV, serum hepatitis) Select this item if the mother had a positive test for the hepatitis B virus. Exclude administration of Hepatitis B vaccine.
- Hepatitis C (non-A non-B hepatitis, HCV) Select this item if the mother had a positive test

- for hepatitis C virus.
- **Tuberculosis** Select this item if the mother had a diagnosis of or received treatment for active tuberculosis during this pregnancy. Exclude positive skin test for tuberculosis without mention of treatment and/or diagnosis of active tuberculosis. Synonyms include TB
- **Rubella** Select this item if the mother had a diagnosis of infection with rubella or "German measles" during this pregnancy. Exclude positive rubella antibody test without mention of active infection.
- **Bacterial vaginosis** Select this item if the mother had a diagnosis of or received treatment for bacterial vaginosis during this pregnancy. Synonyms include BV.
- None Select this item if none of the items above are selected, even if other infections exist.
- Unknown

OTHER RISK FACTORS

- Daily tobacco use Select yes if the mother smoked cigarettes during each trimester of this
 pregnancy or during the three months prior to conception. Indicate the average number of
 cigarettes or packs of cigarettes she smoked per day in each of the time periods indicated. It
 is recommended that this information come from the mother and NOT from the medical
 records.
- Alcohol use Select yes if the mother used alcohol during this pregnancy. Indicate the average number of drinks per week that the mother consumed. Any mention of alcohol use should be considered a positive response (yes). If the mother has indicated that she may have had a few drinks from the time of conception to a positive pregnancy test consider that a positive response (yes). Fetal alcohol syndrome studies will not be done based on this question. A 'yes' response will show that the woman did not receive adequate preconception care.
- Used illegal drugs Select yes if the mother used any illegal or recreational drugs during pregnancy, for example cocaine/crack, heroin, marijuana, amphetamines, ecstasy. Any mention of illegal drug use should be considered a positive (yes) response. A 'yes' response will show that the woman did not receive adequate pre-conception care.

OBSTETRIC PROCEDURES

- Cervical cerclage Circumferential banding or suture of the cervix to prevent or treat passive dilation. Includes MacDonald's suture, Shirodkar procedure, abdominal cerclage via laparotomy.
- **Tocolysis** Administration of any agent with the intent to inhibit pre-term uterine contractions to extend the length of the pregnancy.
- External cephalic version Select this item if an attempt was made to convert the infant's position from a breech presentation to a vertex position by external manipulation. Indicate whether the attempt was successful or failed.
- **Fetal genetic testing** Fetal genetic testing includes genetic amniocentesis and CVS (chorionic villus sampling).
- None
- Unknown at this time
- IF WOMAN WAS 35 OR OLDER, WAS FETAL GENETIC TESTING OFFERED? Fetal genetic testing includes genetic amniocentesis and CVS (chorionic villus sampling).

SEROLOGICAL TESTING

- Serological test for Syphilis Select 'yes' if the mother was tested for syphilis during this pregnancy. Synonyms include *Treponema palidum*
- **Date of Test** If the exact date of the test is not known estimate the date.

Pr bo	enatal care includes visits to a doctor, nurse or other health care worker before your baby was orn to get checkups and advice about pregnancy. Answer 'yes' if you made such visits for the egnancy prior to admission for delivery.
OTI	RING ANY OF YOUR PRENATAL CARE VISITS, DID A DOCTOR, NURSE OR HER HEALTH CARE WORKER TALK WITH YOU ABOUT ANY OF THE THINGS TED BELOW?
Pl	ease count only discussions, not reading materials or videos. For each item, answer Yes if meone talked with you about it or answer No if no one talked with you about it.
EXI Pl	W MANY TIMES PER WEEK DURING YOUR CURRENT PREGNANCY DID YOU ERCISE FOR 30 MINUTES OR MORE, ABOVE YOUR USUAL ACTIVITIES? ease enter the number of times that you exercise, not counting routine daily activities such as alking to the store, lifting boxes at your place of employment, etc.
	YOU HAVE ANY PROBLEMS WITH YOUR GUMS AT ANY TIME DURING EGNANCY, FOR EXAMPLE, SWOLLEN OR BLEEDING GUMS?
DUI	RING YOUR PREGNANCY, WOULD YOU SAY YOU WERE DEPRESSED
	NKING BACK TO JUST BEFORE YOU WERE PREGNANT, HOW DID YOU FEEL DUT BECOMING PREGNANT?
	ART REVIEW
	ease review the woman's medical records (prenatal and delivery) for the following formation.
	Copy of prenatal record in chart?
	 Was formal risk assessment in prenatal chart? Social Assessment refers to psychosocial, socioeconomic and other social issues that may affect a pregnancy. Examples include: on o need Medicaid and/or public assistance; unwed or baby's father is not actively involved;
	under emotional or physical stress; recently felt depressed or hopeless; mother and /or her children in foster care, past or pregnant; thinking about adoption; want to see a social worke or public health nurse; housing, legal, transportation, safety or child care problems.
	 Was MSAFP / triple screen test offered? If the mother was offered a triple screen / MSAFP test, please select 'Yes'. If the test was not offered, please select 'No'. If it was too
	late in the pregnancy for the test to be offered/done, please select "No, Too Late". Was MSAFP / triple screen test done? If triple screen / MSAFP test was done, please
	select 'Yes'. If the test was not done, please select 'No'. How many times was the mother hospitalized during this pregnancy, NOT including
	hospitalization for this delivery? Enter the number of times the mother was hospitalized during this pregnancy for at least 24 hours or more, excluding the hospitalization for this
	delivery.

ADMISSION AND DISCHARGE INFORMATION
 Mother Enter the date the mother was admitted and discharged for this delivery.

- **Infant** Enter the discharge date for the Infant.
 - o Discharged Home

QI QI QI

- o Infant Died at Birth Hospital
- o **Infant Still in Hospital** Select only if the infant is still in your facility. Do not enter a discharge date if the infant is still in-house.
- o Infant Discharged to Foster Care/Adoption
- o **Infant Transferred Out** Select if infant was transferred out to a NICU or Special Care Nursery, including those within your own facility, or to another facility. Enter the date the infant was transferred out.
- o **Unknown** Select only if the disposition of the infant is not documented in the infant or woman's medical records.

	number of fetal deaths, 9
— A —	number of live births, 9
	place of, 6
Abnormal Conditions of the nevel own 12 14	Public Health Law, 2
Abnormal Conditions of the newborn, 13–14	site of, 6
Abruptio placenta, 28	street address of, 6
Acknowledgment of Paternity, 22	type of place of, 6
Address	Birthplace
father's residence, 24	father's, 24
father's work, 25	mother's, 21
mother's mailing, 21	·
mother's residence, 21	second parent's, 24
mother's work, 22	Birthweight, 9
second parent's residence, 24	previous low, 28
second parent's work, 25	Birthweight < 1250 grams, 10
Admission and discharge information, 30	Bleeding
Admit to ICU, 19	reason for delivery at less than level III
Alcohol use, 29	hospital, 10
Analgesia, 18, 19	vaginal, other, 28
intrathecal Duramorph reported in, 19	Breast Milk and Formula, 11
Anencephaly, 14	Breast Milk Only, 11
Anesthesia, 19–20	Breech, 16
epidural, 19	fetal presentation, 15
general inhalation, 20	or malpresentation for fetus at risk, 16, 17
general intravenous, 20	reason for delivery at less than level III, 10
local, 19	with external cephalic version, 29
	Business
paracervical, 20	father's, 25
pudendal, 20	mother's, 22
spinal, 19	second parent's, 25
Antibiotics, 18	r,
suspected neonatal sepsis, 13	— C —
Apgar score at 1, 5, and 10 minutes, 10	
AROM, augmentation of labor, 18	~
Assisted ventilation	Cephalic
required for more than 6 hours, 13	•
-	fetal presentation, 15
required immediately after delivery, 13	•
-	fetal presentation, 15
required immediately after delivery, 13	fetal presentation, 15 obstetric procedures, 29
required immediately after delivery, 13 Attempted procedures, 16	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22
required immediately after delivery, 13 Attempted procedures, 16 Attendant	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 — B —	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 — B — Bacterial vaginosis, 29	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28 Chorioamnionitis, 18
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 ———————————————————————————————————	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28 Chorioamnionitis, 18 Chromosomal disorder, other, 15
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 — B — Bacterial vaginosis, 29 Birth facility of, 6	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28 Chorioamnionitis, 18 Chromosomal disorder, other, 15 Cleft lip, with or without cleft palate, 15
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 ———————————————————————————————————	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28 Chorioamnionitis, 18 Chromosomal disorder, other, 15 Cleft lip, with or without cleft palate, 15 Cleft palate
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 — B — Bacterial vaginosis, 29 Birth facility of, 6	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28 Chorioamnionitis, 18 Chromosomal disorder, other, 15 Cleft lip, with or without cleft palate, 15 Cleft palate alone, 15
required immediately after delivery, 13 Attempted procedures, 16 Attendant certifier for extramural births, 7 Clinical diagnosis of chorioamnionitis by, 18 license, 6 name, 6 title, 6 Augmentation of labor, 18 ———————————————————————————————————	fetal presentation, 15 obstetric procedures, 29 Certificate, Type of, 22 Certifier of birth birthing hospital, 7 clinics and non-birthing hospital, 7 extramural births, 7 Cervical cerclage, 29 Cesarean section, 15 Ceserean. See C-Section Characteristics of labor and delivery, 18 Chart review, 30 Chlamydia, 28 Chorioamnionitis, 18 Chromosomal disorder, other, 15 Cleft lip, with or without cleft palate, 15 Cleft palate

Congenital amputation, 15 anencephaly, 14 anomalies of the child, 14	Diaphragmatic hernia, 14 Did you have problems with gums during pregnancy?, 30 Did you recieve prenatal care?, 30 Down syndrome, 15
Screen, 14 seizure or neurologic dysfunction, 13 chromosomal disorder, other, 15	Due date, estimated, 25 During your pregnancy, would you say you were depressed?, 30
cleft lip, 15 cleft palate, 15 cyanotic heart disease, 14	During your prenatal visits, did someone talk with you about?, 30
diaphragmatic hernia, 14	— E —
Down syndrome, 15	
gastroschisis, 14	Eclampsia
hypospadias, 15 limb reduction defect, 15	reason for delivery at less than level III, 10
malformation and infant's sex, 9	risk factors in pregnancy, 28
meningomyelocele / spina bifida, 14	Education
NYS Malformations Registry, 14, 15	father's, 24
omphalocele, 14	mother's, 20
Conjunctivitis, 11	second parent's, 24
Copy of prenatal record in chart?, 30	Elective, indications for C-section, 16
C-section	Employeed while pregnant?, 22
indications for	Employment father's, 25
elective, 16	mother's, 22
failure to progress, 16	second parent's, 25
fetus at risk, 16	Epidural, 19
malpresentation, 16	Episiotomy & repair, 20
maternal condition, 16	External
refused VBAC, 16	cephalic version, 29
Current last name	fetal monitoring, 18
mother (second parent), 23	O .
second parent's (mother), 23	— F —
Cyanotic heart disease, 14	
— D —	Facility
5	name, 5
Daily tobacco use, 29	type of place of birth, 5
Date	was child born here, 5
estimated due, 25	Failure to progress
father's birth, 24	indications for
first live birth, 27	C-section, 16
first prenatal care visit, 25	forceps, 17 vacuum, 16
immunization administered, 11	Father
immunoglobulin administered, 11	birthplace, 24
infant discharge, 31	date of birth, 24
infant transferred out, 31	education, 24
infant's birth, 5, 9	Hispanic origin, 24
last live birth, 27	Last name on birth certificate, 23
last normal menses began, 25	name of, 23
last other pregnancy outcome, 27	occupation, 25
last prenatal care visit, 26	race, 24
mother was admitted and discharged, 30	residence, 24
mother's birth, 4, 20	Screen, 22–25
second parent's birth, 24 serological test for syphilis, 29	social security number, 23

Fetal	Immunoglobulin Date Administered, 11
genetic testing, 29	Immunoglobulin Lot number, 12
intolerance of labor, 18	Immunoglobulin Manufacturer, 12
monitoring	Manufacturer, 11
external, 18	Hepatitis C (HCV), 28
internal, 18	Herpes simples virus (HSV), 28
presentation	Hispanic origin
breech, 15	father's, 24
cephalic, 15	mother's, 21
Fetal deaths, number of, 9	second parent's, 24
Fetus at risk/NFS	HMO enrollment, 8
delivery at less than level III, 10	How many times per week did you exercise?, 30
indications for	Hypospadias, 15
C-section, 16	
forceps, 17	- I -
vacuum, 16	-
Forceps, indications for	Indications
failure to progress, 17	C-Section, 16
fetus at risk, 17	Forceps, 17
Formula Only, 11	Vacuum, 16–17
	Industry
— G —	father's, 25
	mother's, 22
Gastroschisis, 14	second parent's, 25
General inhalation anesthesia, 20	Infant
General intravenous anesthesia, 20	apgar score, 10
Gestation, clinical estimate of, 11	date of birth, 5, 9
Gestational diabetes, 27	feeding, 11
Gestational hypertension, 27	both breast milk and formula, 11
Gonorrhea, 28	breast milk, 11
	formula only, 11
— H —	other, 11
	is alive?, 11
Hearing Screening, 12	medical record number, 5, 9
Date, 13	name, 4, 8
Equipment Type, 12	screen, 8–14
AABR, 12	sex, 5, 9
ABR, 12	time of birth, 5, 9
DPOAE, 12	transferred, 10
TEOAE, 12	Infections
Not performed	bacterial vaginosis, 29
Facility related, 12	chlamydia, 28
Medical exclusion, 12	gonorrhea, 28
Parent refused, 12	hepatitis B (HBV), 28
Performed, 12	Hepatitis C (HCV), 28
Results, 12	herpes simplex virus (HSV), 28
Not Performed – Medical Exclusion, 12, 13	rubella, 29
Pass, 12, 13	syphilis, 28
Refer, 12, 13	tuberculosis, 29
Hepatitis B (HBV), 28	Infertility treatment, 28
Hepatitis B Inoculation, 11	Institution Screen, 6–8
Date Immunization Administered, 11	Internal, fetal monitoring, 18
Immunization Administered, 11	Interview/Records Screen, 31
Immunization Lot number, 11	
Immunoglobulin Administered, 11	

- L -	— N —
Labor and Delivery Screen, 15–20	Name
Last name on birth certificate	father's, 23
father's, 23	mother's, 20
second parent's, 23	mother's (second parent), 23
Limb reduction defect, 15	second parent's, 23
Live births, number of, 9	second parent's (mother), 23
Local anesthesia, 19	Neonatal Intensive Care Unit (NICU), 13
Low birthweight	New Born Screening, 11
previous, 28	Screen Lab ID not submitted, 11
	Screen Lab ID Number, 11
— M —	Newborn treatment, 11
Malpresentation, indications for C-section, 16	- O -
Maternal condition, indications for C-section, 16	
Maternal morbidity, 18–19	Occupation
hysterectomy, unplanned, 19	father's, 25
ICU, 19	mother's, 22
maternal transfusion, 19	second parent's, 25
operating room procedure, unplanned, 19	Omphalocele, 14
perineal laceration, 19	Birth, 9
postpartum transfer, 19	Other poor pregnancy outcomes, 28
ruptured uterus, 19	Other serious chronic illnesses, risk factors in
Meconium staining, 18	pregnancy, 28
Medicaid Client Identification Number (CIN), 7	
Client Identification Number (CIN), 7 secondary payor, 8	— P —
Medical record number	
infant's, 5, 9	Paracervical anesthesia, 20
mother's, 20	Paternity Acknowledgment, 22
Meningomyeloclele, 14	Payor, primary for this delivery, 7
Menses	Pediatrician/Family Practitioner, 6
date of last normal, 25	Phone, mother's number, 21
Method of delivery	Plurality, 5, 9
attempted procedures, 16	Prelabor referral for high risk, 28
Cesarean section, 15	Prenatal care
fetal presentation, 15	did mother recieve?, 25, 30
route & method, 15	primary provider, 25
trial of labor, 16	Screen, 27–30
Mother	Prenatal care visit
	data of first 25
date of birth, 4, 20	date of first, 25
date of birth, 4, 20 name, 4	date of last, 26
name, 4	date of last, 26 number of, 26
	date of last, 26 number of, 26 Prenatal History Screen, 25–27
name, 4 Screen, 20–22	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record
name, 4 Screen, 20–22 social security number, 4	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record copy in chart, 30
name, 4 Screen, 20–22 social security number, 4 transferred from, 15	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record copy in chart, 30 Prepregnancy diabetes, 27
name, 4 Screen, 20–22 social security number, 4 transferred from, 15 transferred in antepartum, 15	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record copy in chart, 30 Prepregnancy diabetes, 27 Prepregnancy hypertension, 27
name, 4 Screen, 20–22 social security number, 4 transferred from, 15 transferred in antepartum, 15 weight at delivery, 15	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record copy in chart, 30 Prepregnancy diabetes, 27 Prepregnancy hypertension, 27 Previous preterm births, 28
name, 4 Screen, 20–22 social security number, 4 transferred from, 15 transferred in antepartum, 15 weight at delivery, 15 Mother (second parent)	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record copy in chart, 30 Prepregnancy diabetes, 27 Prepregnancy hypertension, 27
name, 4 Screen, 20–22 social security number, 4 transferred from, 15 transferred in antepartum, 15 weight at delivery, 15 Mother (second parent) Current last name, 23	date of last, 26 number of, 26 Prenatal History Screen, 25–27 Prenatal record copy in chart, 30 Prepregnancy diabetes, 27 Prepregnancy hypertension, 27 Previous preterm births, 28

Race

father's, 24

mother's, 21	name of, 23
second parent's, 24	Second Parent Screen
Rapid/advanced labor, 10, 12	Acknowledgment of Paternity, 22
Refused VBAC	Birthplace, 24
indications for	Business or Industry, 25
C-section, 16	Current Last Name, Father, 23
Residence	
	Current Last Name, Mother, 23
father's address, 24	Date of Birth, 24
mother's address, 21	Educational Level, 24
second parent's address, 24	Hispanic Origin, 24
Risk factors	Last Name on Birth Certificate, 23
abruption placenta, 28	Occupation, 25
eclampsia, 28	Race, 24
gestational diabetes, 27	Residence Address, 24
gestational hypertension, 27	Social Security Number, 23
in this pregnancy, 27–28	State of Residence, 24
infertility treatment, 28	Type of Certificate, 22
low birthweight, previous, 28	Seizure or serious neurologic dysfunction, 13
other poor pregnancy outcomes, 28	Social Security Number
prelabor referral for high risk, 28	enumeration at birth (EAB), 8
prepregnancy diabetes, 27	father's, 23
prepregnancy hypertension, 27	mother's, 20
previous preterm, 28	required by Public Health Law, 3
serious chronic illnesses, 28	second parent's, 23
vaginal bleeding, other, 28	Spina bifida, 14
Route & method, 15	Spinal anesthesia, 19
Rubella, 29	State
Rubonu, 29	father's residence, 24
— S —	mother's residence, 21
	second parent's residence, 24
	Surfactant replacement therapy, 13
Screen	Syphilis, 28
Congenital Anomalies, 14	Syphins, 26
Father's, 22–25	T
Infant, 8–14	<u> </u>
Institution, 6–8	
Labor and Delivery, 15	Telephone, mother's number, 21
New Birth, 4–5	Trial of labor, 16
Prenatal Screen, 27–30	Tuberculosis, 29
Second parent's, 22–25	
Screen Lab ID Number, 11	— V —
Reason if not submitted, 11	·
Second parent	Vacuum
birthplace, 24	
Current last name, 23	
Current fast flame, 25	indications for, 16
	indications for, 16 failure to progress, 16
date of birth, 24	indications for, 16 failure to progress, 16 fetus at risk, 16
date of birth, 24 education, 24	indications for, 16 failure to progress, 16
date of birth, 24 education, 24 Hispanic origin, 24	indications for, 16 failure to progress, 16 fetus at risk, 16
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23	indications for, 16 failure to progress, 16 fetus at risk, 16
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23 name of, 23	indications for, 16 failure to progress, 16 fetus at risk, 16 Vitamin K, 11
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23 name of, 23 occupation, 25	indications for, 16 failure to progress, 16 fetus at risk, 16 Vitamin K, 11 — W —
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23 name of, 23 occupation, 25 race, 24	indications for, 16 failure to progress, 16 fetus at risk, 16 Vitamin K, 11 — W — Work address
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23 name of, 23 occupation, 25 race, 24 residence, 24	indications for, 16 failure to progress, 16 fetus at risk, 16 Vitamin K, 11 — W — Work address father's, 25
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23 name of, 23 occupation, 25 race, 24 residence, 24 Screen, 22–25	indications for, 16 failure to progress, 16 fetus at risk, 16 Vitamin K, 11 — W — Work address father's, 25 mother's, 22
date of birth, 24 education, 24 Hispanic origin, 24 Last name on birth certificate, 23 name of, 23 occupation, 25 race, 24 residence, 24	indications for, 16 failure to progress, 16 fetus at risk, 16 Vitamin K, 11 — W — Work address father's, 25