

Karl Kieburtz, MD, MPH

The NINDS NET-PD Investigators (K. Kieburtz, corresponding author). A randomized clinical trial of Coenzyme Q10 and GPI-1485 in early Parkinson's disease. *Neurology* 2007;68:20-28.

Sevigny JJ, Albert SM, McDermott MP, Schifitto G, McArthur JC, Sacktor N, Conant K, Selnes OA, Stern Y, McClernon DR, Palumbo D, Kieburtz K, et al. An evaluation of neurocognitive status and markers of immune activation as predictors of time to death in advanced HIV infection. *Arch Neurol* 2007;64(1):97-102.

Dorsey ER, Constantinescu R, Thompson JP, Biglan KM, Holloway RG, Kieburtz K, et al. Projected number of people with Parkinson's disease in the most populous nations, 2005-2030. *Neurology* 2007;68:384-386.

Solomon AC, Stout JC, Johnson SA, Langbehn DR, Aylward EH, Brandt J, Ross CA, Beglinger L, Hayden MR, Kieburtz K, et al. Verbal episodic memory function in individuals with the Huntington's disease CAG-expansion: Cognitive symptoms are evident before clinical diagnosis. *Neuropsychologia* 2007;45:1767-1776.

Parkinson Study Group (C. Tanner, Corresponding Author). Pramipexole in levodopa-treated Parkinson disease patients of African, Asian, and Hispanic Heritage. *Clin Neuropharmacol* 2007;30:72-85.

Constantinescu R, Romer M, Kieburtz K and the DATATOP Investigators of the Parkinson Study Group. Malignant melanoma in early Parkinson's disease: The DATATOP trial. *Mov Dis* 2007;22(5):720-722.

Langbehn DR, Paulsen JS and the Huntington Study Group. Predictors of diagnosis in Huntington disease. *Neuro* 2007;68:1710-1717.

Kieburtz K and Olanow CW. Translational experimental therapeutics: The translation of laboratory-based discovery into disease-related therapy. *Mt. Sinai J of Medicine* 2007;74:7-14.

Constantinescu R, Romer R, McDermott MP, Kamp C, Kieburtz K, CALM-D Investigators of the Parkinson Study Group. Impact of pramipexole on the onset of levodopa-related dyskinesias. *Mov Dis* 2007;22(9):1317-9.

The NINDS NET-PD Investigators. A pilot clinical trial of creatine and minocycline in early Parkinson disease: 18-month results. *Clinical Neuropharma* 2008;31(3):141-150.

Guttuso T Jr, McDermott MP, Su H, Kieburtz K. Effects of L-Isoleucine and L-Valine on hot flushes and serum homocysteine: A randomized controlled trial. *Obstet Gynecol* 2008;112:109-15.

Ravina B, Romer M, Constantinescu, Biglan K, Brocht A, Kieburtz K, Shoulson I, McDermott M. The relationship between CAG repeat length and clinical progression in Huntington's disease. *Mov Dis* 2008;23(9):1223-1227.

Huntington Study Group TREND-HD Investigators. Randomized Controlled Trial of Ethyl-Eicosapentaenoic Acid in Huntington Disease (K Kieburtz, Steering Committee). *Arch Neurol/Vol 65 (NO. 12), Dec 2008* 1582-1589

Dorsey E. Ray, Beck Christopher, Adams Mary, et al and the Huntington Study Group TREND-HD Communicating Clinical Trial Results to Research Participants (K Kieburtz, Steering Committee). *Arch Neurol/Vol 65 (NO. 12), Dec 2008* 1590-1595.

Scott Kim, Holloway R. Frank S, Wilson R, Kieburtz K. Trust in early phase research: therapeutic optimism and protective pessimism. *Med Health Care and Philos* (2008) 11:393-401

Constantinescu R, Romer M, Oakes D, Rosengren L, Kieburtz K. Levels of the light subunit of neurofilament triplet protein in cerebrospinal fluid in Huntington's disease. *Parkinsonism Relat Disord* 2009 Mar;15(3):245-8. Epub 2008 Dec 4.

Schwarzschild MA, Schwid SR, Marek K, Watts A, et al. Serum urate as a predictor of clinical and radiographic progression in Parkinson disease. *Arch Neurol* 2008 Jun;65(6):716-23.

Guttuso T Jr., McDermott MP, Ng P, Kieburtz K. Effect of L-methionine on hot flashes in postmenopausal women: A randomized controlled trial. *Menopause* 2009 Sep-Oct;16(5):1004-8.

Mitsumoto J, Dorsey ER, Beck CA, Kieburtz K, Griggs RC. Pivotal studies of orphan drugs approved for neurological diseases. *Ann Neuro* 2009 Aug;66(2):184-90.

Dworkin RH, Barbano RL, Tying SK, Betts RF, McDermott MP, Pennella-Vaugh J, Bennett GJ, Berber E, Gnann JW, Irvine C, Kamp C, Kieburtz K, Max MB, Schmader KE. A placebo-controlled trial of oxycodone and of gabapentin for acute pain in herpes zoster. Pain 2009 Apr;142(3):209-17.

Peng Huang, PhD, Christopher G. Goetz, MD, Robert F. Woolson, PhD, Barbara Tilley, PhD, Douglas Kerr, MD, Yuko Palesch, PhD, Jordan Elm, MA, Bernard Ravina, MD, CCRC, Kenneth J. Bergmann, MD, Karl Kieburtz, MD, and The Parkinson Study Group. Using Global Statistical Tests in Long-Term Parkinson's Disease Clinical Trials: Movement Disorders Vol. 24, No. 12, 2009, pp. 1732–1739

Kim Scott, Schrock Lauren, Wilson Renee, Frank Samuel, Holloway Robert, Kieburtz Karl, and DeVries Raymond. An Approach to Evaluating the Therapeutic Misconception. IRB: Ethics & Human Research , September-October 2009

Cynthia Casaceli, MBA

Miller RM, Kiser G, Kaysser-Kranich T, Casaceli CJ, Colla E, Lee MK, Palaniappan C, Federoff HJ : Wild-type and Mutant alpha-synuclein Induce a Multi-Component Gene Expression Profile Consistent with Shared Pathophysiology in Different Transgenic Mouse Models of PD. Exp. Neurol. 2007 Mar;204(1):421-32.

Parkinson Study Group (Caroline M. Tanner, MD, PhD, primary author). Pramipexole in Levodopa Treated Parkinson's Disease Patients of African, Asian and Hispanic heritage. Clinical Neuropharmacology 2007;30:2:72-85.

Cornelia Kamp, MBA

Parkinson Study Group (Caroline M. Tanner, MD, PhD, primary author). Pramipexole in Levodopa Treated Parkinson's Disease Patients of African, Asian and Hispanic heritage. Clinical Neuropharmacology 2007;30:2:72-85.

The NINDS NET-PD Investigators (Karl Kieburtz, MD, MPH, Primary author). A Randomized Clinical Trial of Coenzyme Q10 and GPI-1485 in Early Parkinson's Disease. Neurology 2007;68:20-28.

The NINDS NET-PD Investigators (Wendy Galpern, MD, PhD, Primary author). A Pilot Clinical Trial of Creatine and Minocycline in Early Parkinson Disease: 18-Month Results. *Clinical Neuropharmacology* 31:141-150, 2008.

Dworkin R, Barbano R, Tying S, Betts R, McDermott M, Pennella-Vaughan J, Bennett G, Berber E, Gnann J, Irvine C, Kamp C, Kieburz K, Max M, Schmader K, A Randomized, Placebo-Controlled Trial of Oxycodone and of Gabapentin for Acute Pain in Herpes Zoster. *Pain* 142 (2009) 209-217.

Schwid SR, Bausch J, Oakes D, Schuchter L, Tanner C, Forrest M, Lang AE, Shoulson I and the PSG PRECEPT Investigators; Cancer incidence in a trial of an anti-apoptotic agent for Parkinson's Disease. *Mov Dis* (in press).

Alice Rudolph, PhD

Nichols WC, Marek DK, Pauciulo MW, Pankratz N, Halter CA, Rudolph A, Shults C, Wojcieszek J, Foroud T and the Parkinson Study Group-PROGENI investigators. R1514Q substitution in LRRK2 is not a pathogenic Parkinson disease mutation. *Mov Disord* 2007; 22:254-257.

Nichols WC, Elsaesser VE, Pankratz N, Pauciulo MW, Marek DK, Halter CA, Rudolph A, Shults CW, Foroud T, for the Parkinson Study Group-PROGENI Investigators. LRRK2 mutation analysis in Parkinson disease families with evidence of linkage to PARK8. *Neurology* 2007;69(19):1737-1744.
Pankratz N, Marder KS, Halter CA, Rudolph A, Shults CW, Nichols WC, Foroud T, Parkinson Study Group—PROGENI Investigators. Clinical correlates of depressive symptoms in familial Parkinson disease. *Mov Disord* 2008;23(15):2216-2223.

Nichols WC, Pankratz N, Marek DK, Pauciulo MW, Elsaesser VE, Halter CA, Rudolph A, Wojcieszek J, Pfeiffer RF, Foroud T, PSG-PROGENI Investigators. Mutations in *GBA* are associated with familial Parkinson disease susceptibility and age of onset. *Neurology* 2009;72(4):310-316.

Pankratz N, Nichols WC, Elsaesser VE, Pauciulo MW, Marek DK, Halter CA, Wojcieszek J, Rudolph A, Pfeiffer RF, Foroud T, for the Parkinson Study Group – PROGENI Investigators. Alpha-synuclein and familial Parkinson disease: Dosage and Rep1 promoter variation. *Mov Disord* 2009;24(8):1125-1131.

Nichols WC, Kissell DK, Pankratz N, Pauciulo MW, Elsaesser VE, Clark KA, Halter CA, Rudolph A, Wojcieszek J, Pfeiffer RF, Foroud T, for the Parkinson Study Group—PROGENI Investigators. Variation in *G/GYF2* is not associated with Parkinson disease. *Neurology* 2009;72:1886-1892.

Pankratz N, Kissell K, Pauciulo MW, Halter CA, Rudolph A, Pfeiffer RF, Marder KS, Foroud T, Nichols WC for the Parkinson Study Group PROGENI Investigators. Parkin dosage mutations have greater pathogenicity in familial PD than simple sequence mutations. *Neurology* 2009;73:279-286.

Ascherio, A, LeWitte PA, Xu K, Eberly S, Watts A, Matson WR, Marras C, Kieburtz K, Rudolph A, Bogdanov MB, Schwid SR, Tennis M, Tanner CM, Beal F, Lang AE, Oakes D, Fahn S, Shoulson I, Schwarzschild MA, for the Parkinson Study Group DATATOP Investigators. Urate as a predictor of the rate of clinical decline in Parkinson disease. *Arch Neurol* 2009;66(12):(doi:10.1001/archneurol.2009.247).

Elise Kayson, MS, RNC

Solomon AC, Stout JC, Johnson SA, Langbehn DR, Brandt J, Brandt J, Aylward EH, Julian-Baros E, Ross CA, Beglinger L, Hayden M, Kayson E, Duff K, Guttman M, Nance M, Oakes D, Kieburtz K, Shoulson I, Penziner MA, Paulsen JS, and the PREDICT-HD Investigators of the Huntington's Study Group. Verbal episodic memory declines prior to diagnosis in Huntington's disease. *Neuropsychologia*, Apr 9, 2007; 45(8):1767-1776.

Paulsen JS, Langbehn DR, Stout JC, Aylward E, Ross CA, Nance M, Guttman M, Johnson S, McDonald M, Beglinger LJ, Duff K, Kayson E, Biglan K, Shoulson I, Oakes D, and Hayden M. Detection of Huntington's disease decades before diagnosis: The PREDICT-HD study. *J Neurol Neurosurg Psychiatry*, 2007. Published online Dec 20, 2007.

Langbehn DR, Paulsen JS, and the Huntington Study Group. Predictors of diagnosis in Huntington's disease. *Neurology*, 2007; 68:1710-1777.

Johnson SJ, Stout J., Solomon AC, Cruce C, Langbehn DR, Aylward E, Queller S, Ross CA, Kayson E, Penziner MA, Beglinger L, Duff KE, Nance M, Hayden M, Guttman, M, Shoulson I, Kieburtz K, Oakes D, Paulsen JS, and the PREDICT-HD Investigators of the Huntington's Study Group. Beyond disgust: Impaired recognition of negative emotions in pre-diagnostic Huntington's disease. *Brain*, 2007; 130:1732-1744.

Marder K and the Huntington Study Group PHAROS Investigators. Cross-sectional assessment of diet in individuals at risk for Huntington's disease (PHAROS). *Neurology* 2007;68(Suppl 1):A230.

Oster E, Dorsey ER, Bausch J, Shinaman A, Kayson E, Oakes D, Shoulson I, Quaid K, and the Huntington Study Group PHAROS Investigators. Factors associated with the decision to pursue genetic testing in individuals at risk for Huntington disease. *Presented at the World Congress on Huntington's Disease, September 10, 2007. Dresden, Germany.*

Hersch S, Erwin C and the Event Monitoring Committee of the Huntington Study Group. Monitoring reportable events and unanticipated problems: the PHAROS and PREDICT studies of Huntington's disease. *IRB: Ethics & Human Research*, 29 no. 3 (2007): 11-16.

Oster E, Dorsey ER, Bausch J, Shinaman A, Kayson E, Oakes D, Shoulson I, Quaid K, and the Huntington Study Group PHAROS Investigators. Influence of insurance on the decision to pursue genetic testing in individuals at risk for Huntington's Disease. *Neurotherapeutics* Volume 5, Issue 2, April 2008 Page 368.

Oster E, Dorsey ER, Bausch J, Shinaman A, Kayson E, Oakes D, Shoulson I, Quaid K for the Huntington Study Group PHAROS Investigators. Fear of health insurance loss among individuals at risk for Huntington Disease. *Am J Med Genet Part A* (2008) 146A:2070-2077. PMID 18627059

Kayson EP and Huntington Study Group PHAROS Investigators. Five years of monitoring the safety and feasibility of PHAROS (Prospective Huntington At Risk Observational Study) *Neurotherapeutics* Volume 5, Issue 2, April 2008, Page 366.

Biglan K, Zhao, Oakes D, Kayson E, Shoulson I and the Huntington Study Group PHAROS Investigators. Longitudinal analysis of the UHDRS in individuals at risk for Huntington's disease. *Annals of Neurology* 2008;64(Suppl 12):A69

Suzanne Robertson*, PhD (* maiden name Nicholl)

Roztocil E, Nicholl SM, Davies MG: Mechanisms of kringle fragment of urokinase-induced vascular smooth muscle cell migration. *J Surg Res.* 2007 Jul;141(1):83-90.

Zou Y, Qi Y, Roztocil E, Nicholl SM, Davies MG. Patterns of Kinase Activation Induced by Injury in the Murine Femoral Artery. *J Surg Res*. 2007 Oct;142(2):332-40.

Roztocil E, Nicholl SM, Davies MG. Sphingosine-1-Phosphate-induced oxygen free radical generation in smooth muscle cell migration requires Galpha12/13 protein-mediated phospholipases C activation. *J Vasc. Surg*. 2007 Dec; 46(6):1253-1259

Roztocil E, Nicholl SM, Davies MG. Insulin-induced epidermal growth factor activation in vascular smooth muscle cells is ADAMA-dependent. *Surgery*. 2008 Aug; 144(2): 245-251.

Roztocil E, Nicholl SM, Davies MG. Mechanisms of sphingosine-1-phosphate-induced akt-dependent smooth muscle cell migration. *Surgery*. 2009 Jan; 145(1):34-41.

Bakken AM, Protack CD, Roztocil E, Nicholl SM, Davies MG. Cell migration in response to the aminoterminal fragment of urokinase requires epidermal growth factor receptor activation through an ADAMmediated mechanism. *J Vasc Surg*. 2009 May; 49(5):1296-303.

Peggy Auinger, MS

Rand CM, Shone LP, Albertin C, Auinger P, Klein JD, Szilagyi PG. National healthcare visit patterns of adolescents: implications for delivery of new adolescent vaccines. *Arch Pediatr Adolesc Med* 2007;161:252-259.

Campbell JR, Auinger P. The association between blood lead levels and osteoporosis among adults – results from the third national health and nutrition examination survey (NHANES III). *Environ Health Perspect* 2007;115(7):1018-1022.

Halterman JS, Auinger P, Conn KM, Lynch K, Yoos HL, Szilagyi PG. Inadequate therapy and poor symptom control among children with asthma: findings from a multi-state sample. *Ambul Pediatr* 2007;7(2):153-159.

Shah MN, Bazarian JJ, Lerner EB, Fairbanks RJ, Barker WH, Auinger P, Friedman B. The epidemiology of emergency medical services use by older adults: an analysis of the national hospital ambulatory medical care survey. *Acad Emerg Med* 2007;14(5):441-447.

Chantry CJ, Howard CR, Auinger P. Full breastfeeding duration and risk for iron deficiency in U.S. infants. *Breastfeeding Med* 2007;2(2):63-73.

Rand CM, Szilagyi PG, Albertin C, Auinger P. Additional health care visits needed among adolescents for human papillomavirus vaccine delivery within medical homes: a national study. *Pediatrics* 2007;120(3):461-466.

Iida H, Auinger P, Weitzman M, Billings RJ. Association between infant breastfeeding and early childhood caries in the United States. *Pediatrics* 2007;120(4):e944-e952.

Jehle D, Kuebler J, Auinger P. Risk of injury and fatality in single vehicle rollover crashes: Danger for the front seat occupant in the "outside arc". *Acad Emerg Med* 2007;14(10):899-902.

Kopycka-Kedzierawski D, Auinger P, Billings RJ, Weitzman M. Caries status and overweight in 2 to 18 year old US children: findings from national surveys. *Community Dent Oral Epidemiol* 2008;36:157-167.

Cook S, Auinger P, Li C, Ford E. Metabolic syndrome rates in United States adolescents from the national health and nutrition examination survey, 1999-2002. *J Pediatr* 2008;152(2):165-170.

Kopycka-Kedzierawski DT, Auinger P. Dental needs and status of autistic children: results from the national survey of children's health. *Pediatr Dent* 2008;30(1):54-58.

Mihalopoulos N, Klein J, Auinger P. The freshman 15: Is it real? *J Am Coll Health* 2008;56(5):531-533.

Braun JM, Froehlich TE, Daniels JL, Dietrich KN, Hornung R, Auinger P, Lanphear BP. Association of environmental toxicants and conduct disorder in U.S. children: NHANES 2001-2004. *Environ Health Perspect* 2008;116(7):956-962.

Shah MN, Cushman JT, Davis CO, Bazarian JJ, Auinger P, Friedman B. The epidemiology of emergency medical services use by children: an analysis of the national hospital ambulatory medical care survey. *Prehosp Emerg Care* 2008;12(3):269-276.

Rand CM, Szilagyi PG, Yoo BK, Auinger P, Albertin C, Coleman MS. Additional visit burden for universal influenza vaccination of U.S. school-aged children and adolescents. *Arch Pediatr Adolesc Med* 2008;162(11):1048-1055.

Lande MB, Pearson TA, Vermilion RP, Auinger P, Fernandez ID. Elevated blood pressure, race/ethnicity, and c-reactive protein levels in children and adolescents. *Pediatrics* 2008;122(6):1252-1257.

Shaikh U, Byrd RS, Auinger P. Vitamin and mineral supplement use by children and adolescents in the 1999-2004 national health and nutrition examination survey: relationship with nutrition, food security, physical activity and health care access. *Arch Pediatr Adolesc Med* 2009;163(2):150-157.

Hall CB, Weinberg GA, Iwane MK, Blumkin AK, Edwards KM, Staat MA, Auinger P, Griffin MR, Poehling KA, Erdman D, Grijalva CG, Zhu Y, Szilagyi P. The burden of respiratory syncytial virus infection in young children. *NEJM* 2009;360:588-598.

Bremer AA, Auinger P, Byrd RS. The relationship between insulin resistance-associated metabolic parameters and anthropometric measurements with sugar-sweetened beverage intake and physical activity levels in US adolescents: findings from the 1999-2004 national health and nutrition examination survey. *Arch Pediatr Adolesc Med* 2009;163(4):328-335.
Bremer AA, Auinger P, Byrd RS. Sugar-sweetened beverage intake trends in US adolescents and their association with insulin resistance-related parameters. *J Nutr Metab* 2009;2010:doi:10.1155/2010/196476.

Skelton J, Cook S, Auinger P, Klein J, Barlow S. Prevalence and trends of severe obesity among US children and adolescents. *Acad Pediatr* 2009; 9(5):322-329.

Cook S, Auinger P, Huang TTK. Growth curves for cardio-metabolic risk factors in children and adolescents. *J Pediatr* 2009; 155:S6.e15-e26.

Uc EY, McDermott MP, Marder KS, Anderson SW, Litvan I, Como PG, Auinger P, Chou KL, Growdon JC, and the Parkinson Study Group. Incidence of and risk factors for cognitive impairment in an early Parkinson disease clinical trial cohort. *Neurology* 2009;73:1469-1477.

Froehlich TE, Lanphear BP, Auinger P, Hornung R, Epstein JN, Braun JM, Kahn RS. The association of tobacco and lead exposure with attention-deficit/hyperactivity disorder. *Pediatrics* 2009;124:e1054-e1063.

Hauser RA, Auinger P, Oakes D. Levodopa response in early Parkinson's disease. *Mov Disord* (in press).

Flores AR, Szilagyi PG, Auinger P, Fisher SG. Burden of rotavirus-associated diarrhea in ambulatory settings. *Pediatrics* (in press).

Auinger P, Kiebertz K, McDermott MP. The relationship between uric acid levels and Huntington's disease progression. *Mov Disord* (in press).

Jee SH, Szilagyi MA, Blatt SD, Meguid V, Auinger P, Szilagyi PG. Timely identification of mental health needs in two foster care medical homes. (recently submitted to *Child Youth Serv Rev*).

Garfunkel LC, Pisani A, le Roux P, Auinger P, Siegel DM. Integrated behavior and mental health training in pediatrics. (recently submitted to *Pediatrics*).

Foltz JL, Cook SR, Szilagyi PG, Auinger P, Bucher S, Stewart PA. Assessing how well adolescents across the U.S. meet obesity prevention guidelines. (recently submitted to *Obesity*).

Anderko L, Braun J, Auinger P. Environmental tobacco exposures and learning disabilities. (recently submitted to *J Obstet Gynecol Neonatal Nurs*).

Gene D. Morse, PharmD

Fatai A, Fehintola, Olusegun O. Akinyinka, Isaac F. Adewole, Chedza C. Maponga, Qing Ma and Gene D. Morse. Drug Interactions in the Treatment and Chemoprophylaxis of Malaria in HIV Infected Individuals in Sub Saharan Africa. *Current Drug Metabolism*, 2011, 12, 51-56